

```
1 <?xml version="1.0" encoding="UTF-8"?>
2 <report xmlns="http://www.eclipse.org/birt/2005/design" version="3.2.23" id="1">
3   <property name="author">M. M A T T I N S O N</property>
4   <property name="createdBy">Eclipse BIRT Designer Version 4.6.0.v201606072122
5   </property>
6   <text-property name="title">Work and Tracking Items</text-property>
7   <html-property name="description">Combine work and tracking items into consolidated
8   report using charts and tables.</html-property>
9   <list-property name="userProperties">
10     <structure>
11       <property name="name">WorkItemsDataCube.WorkItemsDataSet.x</property>
12       <property name="type">integer</property>
13       <property name="isVisible">>false</property>
14     </structure>
15     <structure>
16       <property name="name">WorkItemsDataCube.WorkItemsDataSet.y</property>
17       <property name="type">integer</property>
18       <property name="isVisible">>false</property>
19     </structure>
20   </list-property>
21   <property name="WorkItemsDataCube.WorkItemsDataSet.x">135</property>
22   <property name="WorkItemsDataCube.WorkItemsDataSet.y">80</property>
23   <property name="units">in</property>
24   <property name="iconFile">/templates/crosstab.gif</property>
25   <property name="cheatSheet">org.eclipse.birt.report.designer.ui.cheatsheet.crosstab
26   </property>
27   <property name="layoutPreference">auto layout</property>
28   <property name="bidiLayoutOrientation">ltr</property>
29   <property name="imageDPI">96</property>
30   <parameters>
31     <scalar-parameter name="report_projectId" id="1971">
32       <property name="valueType">static</property>
33       <property name="dataType">string</property>
34       <property name="distinct">>true</property>
35       <simple-property-list name="defaultValue">
36         <value type="constant">162</value>
37       </simple-property-list>
38       <list-property name="selectionList"/>
39       <property name="paramType">simple</property>
40       <property name="controlType">text-box</property>
41       <structure name="format">
42         <property name="category">Unformatted</property>
43       </structure>
44     </scalar-parameter>
45     <scalar-parameter name="report_name" id="1972">
46       <property name="valueType">static</property>
47       <property name="dataType">string</property>
48       <property name="distinct">>true</property>
49       <simple-property-list name="defaultValue">
50         <value type="constant">Work and Tracking Items</value>
51       </simple-property-list>
52       <list-property name="selectionList"/>
53       <property name="paramType">simple</property>
54       <property name="controlType">text-box</property>
55       <structure name="format">
56         <property name="category">Unformatted</property>
57       </structure>
58     </scalar-parameter>
59     <scalar-parameter name="report_startdate" id="1982">
60       <property name="valueType">static</property>
61       <property name="isRequired">>true</property>
62       <property name="dataType">date</property>
63       <property name="distinct">>true</property>
64       <simple-property-list name="defaultValue">
65         <value type="constant">1/1/2020</value>
66       </simple-property-list>
67       <list-property name="selectionList"/>
```

```

65     <property name="paramType">simple</property>
66     <property name="controlType">text-box</property>
67     <structure name="format">
68         <property name="category">Unformatted</property>
69     </structure>
70 </scalar-parameter>
71 <scalar-parameter name="report_enddate" id="1983">
72     <property name="valueType">static</property>
73     <property name="isRequired">>true</property>
74     <property name="dataType">date</property>
75     <property name="distinct">>true</property>
76     <simple-property-list name="defaultValue">
77         <value type="constant">6/1/2020</value>
78     </simple-property-list>
79     <list-property name="selectionList"/>
80     <property name="paramType">simple</property>
81     <property name="controlType">text-box</property>
82     <structure name="format">
83         <property name="category">Unformatted</property>
84     </structure>
85 </scalar-parameter>
86 </parameters>
87 <data-sources>
88     <oda-data-source extensionID="org.eclipse.birt.report.data.oda.jdbc" name="jama"
89         id="20">
90         <list-property name="privateDriverProperties">
91             <ex-property>
92                 <name>metadataBidiFormatStr</name>
93                 <value>ILYNN</value>
94             </ex-property>
95             <ex-property>
96                 <name>disabledMetadataBidiFormatStr</name>
97             </ex-property>
98             <ex-property>
99                 <name>contentBidiFormatStr</name>
100                <value>ILYNN</value>
101            </ex-property>
102            <ex-property>
103                <name>disabledContentBidiFormatStr</name>
104            </ex-property>
105        </list-property>
106        <property name="odaDriverClass">com.microsoft.sqlserver.jdbc.SQLServerDriver
107        </property>
108        <property name="odaURL">jdbc:sqlserver://localhost</property>
109        <property name="odaUser">sa</property>
110        <encrypted-property name="odaPassword" encryptionID="base64">SEBuZHMwZmY=
111        </encrypted-property>
112    </oda-data-source>
113 </data-sources>
114 <data-sets>
115     <oda-data-set extensionID=
116         "org.eclipse.birt.report.data.oda.jdbc.JdbcSelectDataSet" name=
117         "WorkItemsDataSet" id="21">
118         <property name="nullsOrdering">>nulls lowest</property>
119         <list-property name="columnHints">
120             <structure>
121                 <property name="columnName">Priority_Order</property>
122                 <property name="analysis">measure</property>
123                 <text-property name="displayName">Priority_Order</text-property>
124                 <text-property name="heading">Priority_Order</text-property>
125             </structure>
126             <structure>
127                 <property name="columnName">Name</property>
128                 <property name="analysis">dimension</property>
129                 <text-property name="displayName">Name</text-property>
130                 <text-property name="heading">Name</text-property>
131             </structure>

```

```
127 <structure>
128   <property name="columnName">Project</property>
129   <property name="analysis">dimension</property>
130   <text-property name="displayName">Project</text-property>
131   <text-property name="heading">Project</text-property>
132 </structure>
133 <structure>
134   <property name="columnName">pId</property>
135   <property name="analysis">dimension</property>
136   <text-property name="displayName">pId</text-property>
137   <text-property name="heading">pId</text-property>
138 </structure>
139 <structure>
140   <property name="columnName">dtfdId</property>
141   <property name="analysis">dimension</property>
142   <text-property name="displayName">dtfdId</text-property>
143   <text-property name="heading">dtfdId</text-property>
144 </structure>
145 <structure>
146   <property name="columnName">Status</property>
147   <property name="analysis">dimension</property>
148   <text-property name="displayName">Status</text-property>
149   <text-property name="heading">Status</text-property>
150 </structure>
151 <structure>
152   <property name="columnName">Status_Order</property>
153   <property name="analysis">measure</property>
154   <text-property name="displayName">Status_Order</text-property>
155   <text-property name="heading">Status_Order</text-property>
156 </structure>
157 <structure>
158   <property name="columnName">Status_Color</property>
159   <property name="analysis">dimension</property>
160   <text-property name="displayName">Status_Color</text-property>
161   <text-property name="heading">Status_Color</text-property>
162 </structure>
163 <structure>
164   <property name="columnName">Priority</property>
165   <property name="analysis">dimension</property>
166   <text-property name="displayName">Priority</text-property>
167   <text-property name="heading">Priority</text-property>
168 </structure>
169 <structure>
170   <property name="columnName">Priority_Color</property>
171   <property name="analysis">dimension</property>
172   <text-property name="displayName">Priority_Color</text-property>
173   <text-property name="heading">Priority_Color</text-property>
174 </structure>
175 <structure>
176   <property name="columnName">Key</property>
177   <property name="analysis">dimension</property>
178   <text-property name="displayName">Key</text-property>
179   <text-property name="heading">Key</text-property>
180 </structure>
181 <structure>
182   <property name="columnName">dId</property>
183   <property name="analysis">dimension</property>
184   <text-property name="displayName">dId</text-property>
185   <text-property name="heading">dId</text-property>
186 </structure>
187 <structure>
188   <property name="columnName">TypeId</property>
189   <property name="analysis">measure</property>
190   <text-property name="displayName">TypeId</text-property>
191   <text-property name="heading">TypeId</text-property>
192 </structure>
193 <structure>
```

```
194     <property name="columnName">Assigned</property>
195     <property name="analysis">dimension</property>
196     <text-property name="displayName">Assigned</text-property>
197     <text-property name="heading">Assigned</text-property>
198 </structure>
199 <structure>
200     <property name="columnName">Year</property>
201     <property name="analysis">measure</property>
202     <text-property name="displayName">Year</text-property>
203     <text-property name="heading">Year</text-property>
204 </structure>
205 <structure>
206     <property name="columnName">MonthNumber</property>
207     <property name="analysis">measure</property>
208     <text-property name="displayName">MonthNumber</text-property>
209     <text-property name="heading">MonthNumber</text-property>
210 </structure>
211 <structure>
212     <property name="columnName">Month</property>
213     <property name="analysis">measure</property>
214     <text-property name="displayName">Month</text-property>
215     <text-property name="heading">Month</text-property>
216 </structure>
217 <structure>
218     <property name="columnName">MonthOrder</property>
219     <property name="analysis">measure</property>
220     <text-property name="displayName">MonthOrder</text-property>
221     <text-property name="heading">MonthOrder</text-property>
222 </structure>
223 <structure>
224     <property name="columnName">Created</property>
225     <property name="analysis">dimension</property>
226     <text-property name="displayName">Created</text-property>
227     <text-property name="heading">Created</text-property>
228 </structure>
229 <structure>
230     <property name="columnName">Age</property>
231     <property name="analysis">measure</property>
232     <text-property name="displayName">Age</text-property>
233     <text-property name="heading">Age</text-property>
234 </structure>
235 <structure>
236     <property name="columnName">Modified</property>
237     <property name="analysis">dimension</property>
238     <text-property name="displayName">Modified</text-property>
239     <text-property name="heading">Modified</text-property>
240 </structure>
241 <structure>
242     <property name="columnName">Doc_Date1</property>
243     <property name="analysis">dimension</property>
244     <text-property name="displayName">Doc_Date1</text-property>
245     <text-property name="heading">Doc_Date1</text-property>
246 </structure>
247 <structure>
248     <property name="columnName">Doc_Date2</property>
249     <property name="analysis">dimension</property>
250     <text-property name="displayName">Doc_Date2</text-property>
251     <text-property name="heading">Doc_Date2</text-property>
252 </structure>
253 <structure>
254     <property name="columnName">Doc_Date3</property>
255     <property name="analysis">dimension</property>
256     <text-property name="displayName">Doc_Date3</text-property>
257     <text-property name="heading">Doc_Date3</text-property>
258 </structure>
259 <structure>
260     <property name="columnName">Type</property>
```

```
261         <property name="analysis">measure</property>
262         <text-property name="displayName">Type</text-property>
263         <text-property name="heading">Type</text-property>
264     </structure>
265 </list-property>
266 <list-property name="parameters">
267     <structure>
268         <property name="name">report_projectId</property>
269         <property name="paramName">report_projectId</property>
270         <property name="nativeName"></property>
271         <property name="dataType">integer</property>
272         <property name="nativeDataType">4</property>
273         <property name="position">1</property>
274         <property name="isInput">>true</property>
275         <property name="isOutput">>false</property>
276     </structure>
277     <structure>
278         <property name="name">report_startdate</property>
279         <property name="paramName">report_startdate</property>
280         <property name="nativeName"></property>
281         <property name="dataType">date</property>
282         <property name="nativeDataType">93</property>
283         <property name="position">2</property>
284         <expression name="defaultValue" type="javascript">
285             BirtDateTime.date(2020, 3, 1)</expression>
286         <property name="isInput">>true</property>
287         <property name="isOutput">>false</property>
288     </structure>
289     <structure>
290         <property name="name">report_enddate</property>
291         <property name="paramName">report_enddate</property>
292         <property name="nativeName"></property>
293         <property name="dataType">date</property>
294         <property name="nativeDataType">93</property>
295         <property name="position">3</property>
296         <property name="isInput">>true</property>
297         <property name="isOutput">>false</property>
298     </structure>
299 </list-property>
300 <structure name="cachedMetaData">
301     <list-property name="resultSet">
302         <structure>
303             <property name="position">1</property>
304             <property name="name">Priority_Order</property>
305             <property name="dataType">integer</property>
306         </structure>
307         <structure>
308             <property name="position">2</property>
309             <property name="name">Name</property>
310             <property name="dataType">string</property>
311         </structure>
312         <structure>
313             <property name="position">3</property>
314             <property name="name">Project</property>
315             <property name="dataType">string</property>
316         </structure>
317         <structure>
318             <property name="position">4</property>
319             <property name="name">pId</property>
320             <property name="dataType">string</property>
321         </structure>
322         <structure>
323             <property name="position">5</property>
324             <property name="name">dtfdId</property>
325             <property name="dataType">string</property>
326         </structure>
327     </list-property>
328 </structure>
```

```
327         <property name="position">6</property>
328         <property name="name">Status</property>
329         <property name="dataType">string</property>
330     </structure>
331     <structure>
332         <property name="position">7</property>
333         <property name="name">Status_Order</property>
334         <property name="dataType">integer</property>
335     </structure>
336     <structure>
337         <property name="position">8</property>
338         <property name="name">Status_Color</property>
339         <property name="dataType">string</property>
340     </structure>
341     <structure>
342         <property name="position">9</property>
343         <property name="name">Priority</property>
344         <property name="dataType">string</property>
345     </structure>
346     <structure>
347         <property name="position">10</property>
348         <property name="name">Priority_Color</property>
349         <property name="dataType">string</property>
350     </structure>
351     <structure>
352         <property name="position">11</property>
353         <property name="name">Key</property>
354         <property name="dataType">string</property>
355     </structure>
356     <structure>
357         <property name="position">12</property>
358         <property name="name">dId</property>
359         <property name="dataType">string</property>
360     </structure>
361     <structure>
362         <property name="position">13</property>
363         <property name="name">TypeId</property>
364         <property name="dataType">integer</property>
365     </structure>
366     <structure>
367         <property name="position">14</property>
368         <property name="name">Assigned</property>
369         <property name="dataType">string</property>
370     </structure>
371     <structure>
372         <property name="position">15</property>
373         <property name="name">Year</property>
374         <property name="dataType">integer</property>
375     </structure>
376     <structure>
377         <property name="position">16</property>
378         <property name="name">MonthNumber</property>
379         <property name="dataType">integer</property>
380     </structure>
381     <structure>
382         <property name="position">17</property>
383         <property name="name">Month</property>
384         <property name="dataType">string</property>
385     </structure>
386     <structure>
387         <property name="position">18</property>
388         <property name="name">MonthOrder</property>
389         <property name="dataType">decimal</property>
390     </structure>
391     <structure>
392         <property name="position">19</property>
393         <property name="name">Created</property>
```

```
394         <property name="dataType">date-time</property>
395     </structure>
396 <structure>
397     <property name="position">20</property>
398     <property name="name">Age</property>
399     <property name="dataType">integer</property>
400 </structure>
401 <structure>
402     <property name="position">21</property>
403     <property name="name">Modified</property>
404     <property name="dataType">date-time</property>
405 </structure>
406 <structure>
407     <property name="position">22</property>
408     <property name="name">Doc_Date1</property>
409     <property name="dataType">date-time</property>
410 </structure>
411 <structure>
412     <property name="position">23</property>
413     <property name="name">Doc_Date2</property>
414     <property name="dataType">date-time</property>
415 </structure>
416 <structure>
417     <property name="position">24</property>
418     <property name="name">Doc_Date3</property>
419     <property name="dataType">date-time</property>
420 </structure>
421 <structure>
422     <property name="position">25</property>
423     <property name="name">Type</property>
424     <property name="dataType">string</property>
425 </structure>
426 </list-property>
427 </structure>
428 <property name="dataSource">jama</property>
429 <list-property name="resultSet">
430     <structure>
431         <property name="position">1</property>
432         <property name="name">Priority_Order</property>
433         <property name="nativeName">Priority_Order</property>
434         <property name="dataType">integer</property>
435         <property name="nativeDataType">4</property>
436     </structure>
437     <structure>
438         <property name="position">2</property>
439         <property name="name">Name</property>
440         <property name="nativeName">Name</property>
441         <property name="dataType">string</property>
442         <property name="nativeDataType">12</property>
443     </structure>
444     <structure>
445         <property name="position">3</property>
446         <property name="name">Project</property>
447         <property name="nativeName">Project</property>
448         <property name="dataType">string</property>
449         <property name="nativeDataType">12</property>
450     </structure>
451     <structure>
452         <property name="position">4</property>
453         <property name="name">pId</property>
454         <property name="nativeName">pId</property>
455         <property name="dataType">string</property>
456         <property name="nativeDataType">12</property>
457     </structure>
458     <structure>
459         <property name="position">5</property>
460         <property name="name">dtfdId</property>
```

```
461         <property name="nativeName">dtfdId</property>
462         <property name="dataType">string</property>
463         <property name="nativeDataType">12</property>
464     </structure>
465     <structure>
466         <property name="position">6</property>
467         <property name="name">Status</property>
468         <property name="nativeName">Status</property>
469         <property name="dataType">string</property>
470         <property name="nativeDataType">12</property>
471     </structure>
472     <structure>
473         <property name="position">7</property>
474         <property name="name">Status_Order</property>
475         <property name="nativeName">Status_Order</property>
476         <property name="dataType">integer</property>
477         <property name="nativeDataType">4</property>
478     </structure>
479     <structure>
480         <property name="position">8</property>
481         <property name="name">Status_Color</property>
482         <property name="nativeName">Status_Color</property>
483         <property name="dataType">string</property>
484         <property name="nativeDataType">12</property>
485     </structure>
486     <structure>
487         <property name="position">9</property>
488         <property name="name">Priority</property>
489         <property name="nativeName">Priority</property>
490         <property name="dataType">string</property>
491         <property name="nativeDataType">12</property>
492     </structure>
493     <structure>
494         <property name="position">10</property>
495         <property name="name">Priority_Color</property>
496         <property name="nativeName">Priority_Color</property>
497         <property name="dataType">string</property>
498         <property name="nativeDataType">12</property>
499     </structure>
500     <structure>
501         <property name="position">11</property>
502         <property name="name">Key</property>
503         <property name="nativeName">Key</property>
504         <property name="dataType">string</property>
505         <property name="nativeDataType">12</property>
506     </structure>
507     <structure>
508         <property name="position">12</property>
509         <property name="name">dId</property>
510         <property name="nativeName">dId</property>
511         <property name="dataType">string</property>
512         <property name="nativeDataType">12</property>
513     </structure>
514     <structure>
515         <property name="position">13</property>
516         <property name="name">TypeId</property>
517         <property name="nativeName">TypeId</property>
518         <property name="dataType">integer</property>
519         <property name="nativeDataType">4</property>
520     </structure>
521     <structure>
522         <property name="position">14</property>
523         <property name="name">Assigned</property>
524         <property name="nativeName">Assigned</property>
525         <property name="dataType">string</property>
526         <property name="nativeDataType">12</property>
527     </structure>
```



```
528 <structure>
529   <property name="position">15</property>
530   <property name="name">Year</property>
531   <property name="nativeName">Year</property>
532   <property name="dataType">integer</property>
533   <property name="nativeDataType">4</property>
534 </structure>
535 <structure>
536   <property name="position">16</property>
537   <property name="name">MonthNumber</property>
538   <property name="nativeName">MonthNumber</property>
539   <property name="dataType">integer</property>
540   <property name="nativeDataType">4</property>
541 </structure>
542 <structure>
543   <property name="position">17</property>
544   <property name="name">Month</property>
545   <property name="nativeName">Month</property>
546   <property name="dataType">string</property>
547   <property name="nativeDataType">12</property>
548 </structure>
549 <structure>
550   <property name="position">18</property>
551   <property name="name">MonthOrder</property>
552   <property name="nativeName">MonthOrder</property>
553   <property name="dataType">decimal</property>
554   <property name="nativeDataType">2</property>
555 </structure>
556 <structure>
557   <property name="position">19</property>
558   <property name="name">Created</property>
559   <property name="nativeName">Created</property>
560   <property name="dataType">date-time</property>
561   <property name="nativeDataType">93</property>
562 </structure>
563 <structure>
564   <property name="position">20</property>
565   <property name="name">Age</property>
566   <property name="nativeName">Age</property>
567   <property name="dataType">integer</property>
568   <property name="nativeDataType">4</property>
569 </structure>
570 <structure>
571   <property name="position">21</property>
572   <property name="name">Modified</property>
573   <property name="nativeName">Modified</property>
574   <property name="dataType">date-time</property>
575   <property name="nativeDataType">93</property>
576 </structure>
577 <structure>
578   <property name="position">22</property>
579   <property name="name">Doc_Date1</property>
580   <property name="nativeName">Doc_Date1</property>
581   <property name="dataType">date-time</property>
582   <property name="nativeDataType">93</property>
583 </structure>
584 <structure>
585   <property name="position">23</property>
586   <property name="name">Doc_Date2</property>
587   <property name="nativeName">Doc_Date2</property>
588   <property name="dataType">date-time</property>
589   <property name="nativeDataType">93</property>
590 </structure>
591 <structure>
592   <property name="position">24</property>
593   <property name="name">Doc_Date3</property>
594   <property name="nativeName">Doc_Date3</property>
```

```

595         <property name="dataType">date-time</property>
596         <property name="nativeDataType">93</property>
597     </structure>
598 </structure>
599     <property name="position">25</property>
600     <property name="name">Type</property>
601     <property name="nativeName">Type</property>
602     <property name="dataType">string</property>
603     <property name="nativeDataType">12</property>
604 </structure>
605 </list-property>
606 <xml-property name="queryText"><![CDATA[select
607 COALESCE(l.sortOrder, 99) [Priority_Order],
608 d.name [Name],
609 p.name [Project],
610 CAST(p.id as varchar) [pId],
611 CAST(dtfd.id as varchar) [dtfdId],
612 l2.name [Status],
613 COALESCE(l2.sortOrder, 99) [Status_Order],
614 l2.color [Status_Color],
615 l.name [Priority],
616 l.color [Priority_Color],
617 d.documentKey [Key],
618 CAST(d.id AS varchar) [dId],
619 d.documentTypeId [TypeId],
620 u.lastName + ', ' + u.firstName [Assigned],
621 year(d.createdDate) [Year],
622 month(d.createdDate) [MonthNumber],
623 Convert(char(3), d.createdDate, 0) [Month],
624 year(d.createdDate) + ( month(d.createdDate) / 100.0 ) [MonthOrder],
625 d.createdDate [Created],
626 datediff(DD,d.createdDate,getdate()) [Age],
627 d.modifiedDate [Modified],
628 d.date1 [Doc_Date1],
629 d.date2 [Doc_Date2],
630 d.date3 [Doc_Date3],
631 dt.display [Type]
632
633 from
634     document d
635     left join project p on d.projectId = p.id
636     left join userbase u on d.assignedToId = u.id
637     left join documenttype dt on d.documentTypeId = dt.id
638
639     left join documenttypefielddefinition dtfd on dt.id = dtfd.documentTypeId
640     left join documentfield df on dtfd.documentFieldId = df.id
641     left join documentcustomfieldvalue v on d.id = v.documentId and df.id = v.fieldId
642     left join lookup l on v.textValue = l.id
643
644     left join documenttypefielddefinition dtfd2 on dt.id = dtfd2.documentTypeId
645     left join documentfield df2 on dtfd2.documentFieldId = df2.id
646     left join documentcustomfieldvalue v2 on d.id = v2.documentId and df2.id = v2.fieldId
647     left join lookup l2 on v2.textValue = l2.id
648
649 where
650     d.documentTypeId in (288,70)
651     and p.id = ?
652     and d.active = 'T'
653     and dtfd.label = 'Priority'
654     and dtfd2.label = 'Status'
655     and d.createdDate between ? and ?]]></xml-property>
656 <xml-property name="designerValues"><![CDATA[<?xml version="1.0" encoding=
        "UTF-8"?>
657 <model:DesignValues xmlns:design="
        http://www.eclipse.org/datatools/connectivity/oda/design" xmlns:model="
        http://www.eclipse.org/birt/report/model/adapter/odaModel">
658     <Version>2.0</Version>

```

```
659 <design:ResultSets derivedMetaData="true">
660   <design:resultSetDefinitions>
661     <design:resultSetColumns>
662       <design:resultColumnDefinitions>
663         <design:attributes>
664           <design:identifier>
665             <design:name>Proj_ID</design:name>
666             <design:position>1</design:position>
667           </design:identifier>
668           <design:nativeDataTypeCode>4</design:nativeDataTypeCode>
669           <design:precision>10</design:precision>
670           <design:scale>0</design:scale>
671           <design:nullability>Nullable</design:nullability>
672           <design:uiHints>
673             <design:displayName>Proj_ID</design:displayName>
674           </design:uiHints>
675         </design:attributes>
676         <design:usageHints>
677           <design:label>Proj_ID</design:label>
678           <design:formattingHints>
679             <design:displaySize>11</design:displaySize>
680           </design:formattingHints>
681         </design:usageHints>
682       </design:resultColumnDefinitions>
683     <design:resultColumnDefinitions>
684       <design:attributes>
685         <design:identifier>
686           <design:name>Doc_ID</design:name>
687           <design:position>2</design:position>
688         </design:identifier>
689         <design:nativeDataTypeCode>4</design:nativeDataTypeCode>
690         <design:precision>10</design:precision>
691         <design:scale>0</design:scale>
692         <design:nullability>NotNullable</design:nullability>
693         <design:uiHints>
694           <design:displayName>Doc_ID</design:displayName>
695         </design:uiHints>
696       </design:attributes>
697       <design:usageHints>
698         <design:label>Doc_ID</design:label>
699         <design:formattingHints>
700           <design:displaySize>11</design:displaySize>
701         </design:formattingHints>
702       </design:usageHints>
703     </design:resultColumnDefinitions>
704   <design:resultColumnDefinitions>
705     <design:attributes>
706       <design:identifier>
707         <design:name>Doc_Status</design:name>
708         <design:position>3</design:position>
709       </design:identifier>
710       <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
711       <design:precision>255</design:precision>
712       <design:scale>0</design:scale>
713       <design:nullability>Nullable</design:nullability>
714       <design:uiHints>
715         <design:displayName>Doc_Status</design:displayName>
716       </design:uiHints>
717     </design:attributes>
718     <design:usageHints>
719       <design:label>Doc_Status</design:label>
720       <design:formattingHints>
721         <design:displaySize>255</design:displaySize>
722       </design:formattingHints>
723     </design:usageHints>
724   </design:resultColumnDefinitions>
725 </design:resultColumnDefinitions>
```

```
726     <design:attributes>
727         <design:identifier>
728             <design:name>Doc_Key</design:name>
729             <design:position>4</design:position>
730         </design:identifier>
731         <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
732         <design:precision>255</design:precision>
733         <design:scale>0</design:scale>
734         <design:nullability>Nullable</design:nullability>
735         <design:uiHints>
736             <design:displayName>Doc_Key</design:displayName>
737         </design:uiHints>
738     </design:attributes>
739     <design:usageHints>
740         <design:label>Doc_Key</design:label>
741         <design:formattingHints>
742             <design:displaySize>255</design:displaySize>
743         </design:formattingHints>
744     </design:usageHints>
745 </design:resultColumnDefinitions>
746 <design:resultColumnDefinitions>
747     <design:attributes>
748         <design:identifier>
749             <design:name>Doc_Assigned</design:name>
750             <design:position>5</design:position>
751         </design:identifier>
752         <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
753         <design:precision>512</design:precision>
754         <design:scale>0</design:scale>
755         <design:nullability>Nullable</design:nullability>
756         <design:uiHints>
757             <design:displayName>Doc_Assigned</design:displayName>
758         </design:uiHints>
759     </design:attributes>
760     <design:usageHints>
761         <design:label>Doc_Assigned</design:label>
762         <design:formattingHints>
763             <design:displaySize>512</design:displaySize>
764         </design:formattingHints>
765     </design:usageHints>
766 </design:resultColumnDefinitions>
767 <design:resultColumnDefinitions>
768     <design:attributes>
769         <design:identifier>
770             <design:name>Doc_Year</design:name>
771             <design:position>6</design:position>
772         </design:identifier>
773         <design:nativeDataTypeCode>4</design:nativeDataTypeCode>
774         <design:precision>10</design:precision>
775         <design:scale>0</design:scale>
776         <design:nullability>Nullable</design:nullability>
777         <design:uiHints>
778             <design:displayName>Doc_Year</design:displayName>
779         </design:uiHints>
780     </design:attributes>
781     <design:usageHints>
782         <design:label>Doc_Year</design:label>
783         <design:formattingHints>
784             <design:displaySize>11</design:displaySize>
785         </design:formattingHints>
786     </design:usageHints>
787 </design:resultColumnDefinitions>
788 <design:resultColumnDefinitions>
789     <design:attributes>
790         <design:identifier>
791             <design:name>Doc_MonthNumber</design:name>
792             <design:position>7</design:position>
```

```

793     </design:identifier>
794     <design:nativeDataTypeCode>4</design:nativeDataTypeCode>
795     <design:precision>10</design:precision>
796     <design:scale>0</design:scale>
797     <design:nullability>Nullable</design:nullability>
798     <design:uiHints>
799         <design:displayName>Doc_MonthNumber</design:displayName>
800     </design:uiHints>
801 </design:attributes>
802 <design:usageHints>
803     <design:label>Doc_MonthNumber</design:label>
804     <design:formattingHints>
805         <design:displaySize>11</design:displaySize>
806     </design:formattingHints>
807 </design:usageHints>
808 </design:resultColumnDefinitions>
809 <design:resultColumnDefinitions>
810     <design:attributes>
811         <design:identifier>
812             <design:name>Doc_MonthName</design:name>
813             <design:position>8</design:position>
814         </design:identifier>
815         <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
816         <design:precision>30</design:precision>
817         <design:scale>0</design:scale>
818         <design:nullability>Nullable</design:nullability>
819         <design:uiHints>
820             <design:displayName>Doc_MonthName</design:displayName>
821         </design:uiHints>
822     </design:attributes>
823     <design:usageHints>
824         <design:label>Doc_MonthName</design:label>
825         <design:formattingHints>
826             <design:displaySize>30</design:displaySize>
827         </design:formattingHints>
828     </design:usageHints>
829 </design:resultColumnDefinitions>
830 <design:resultColumnDefinitions>
831     <design:attributes>
832         <design:identifier>
833             <design:name>Doc_CreatedDate</design:name>
834             <design:position>9</design:position>
835         </design:identifier>
836         <design:nativeDataTypeCode>93</design:nativeDataTypeCode>
837         <design:precision>23</design:precision>
838         <design:scale>3</design:scale>
839         <design:nullability>Nullable</design:nullability>
840         <design:uiHints>
841             <design:displayName>Doc_CreatedDate</design:displayName>
842         </design:uiHints>
843     </design:attributes>
844     <design:usageHints>
845         <design:label>Doc_CreatedDate</design:label>
846         <design:formattingHints>
847             <design:displaySize>23</design:displaySize>
848         </design:formattingHints>
849     </design:usageHints>
850 </design:resultColumnDefinitions>
851 </design:resultSetColumns>
852 <design:criteria/>
853 </design:resultSetDefinitions>
854 </design:ResultSets>
855 </model:DesignValues>]]></xml-property>
856     </oda-data-set>
857     <oda-data-set extensionID=
"org.eclipse.birt.report.data.oda.jdbc.JdbcSelectDataSet" name="ProjectsDataSet"
id="1055">

```

```
858 <list-property name="columnHints">
859   <structure>
860     <property name="columnName">pId</property>
861     <property name="analysis">measure</property>
862     <text-property name="displayName">pId</text-property>
863     <text-property name="heading">pId</text-property>
864   </structure>
865   <structure>
866     <property name="columnName">pName</property>
867     <property name="analysis">dimension</property>
868     <text-property name="displayName">pName</text-property>
869     <text-property name="heading">pName</text-property>
870   </structure>
871   <structure>
872     <property name="columnName">pKey</property>
873     <property name="analysis">dimension</property>
874     <text-property name="displayName">pKey</text-property>
875     <text-property name="heading">pKey</text-property>
876   </structure>
877   <structure>
878     <property name="columnName">pActive</property>
879     <property name="analysis">dimension</property>
880     <text-property name="displayName">pActive</text-property>
881     <text-property name="heading">pActive</text-property>
882   </structure>
883   <structure>
884     <property name="columnName">pCreatedBy</property>
885     <property name="analysis">measure</property>
886     <text-property name="displayName">pCreatedBy</text-property>
887     <text-property name="heading">pCreatedBy</text-property>
888   </structure>
889   <structure>
890     <property name="columnName">pCreatedDate</property>
891     <property name="analysis">dimension</property>
892     <text-property name="displayName">pCreatedDate</text-property>
893     <text-property name="heading">pCreatedDate</text-property>
894   </structure>
895   <structure>
896     <property name="columnName">pStatus</property>
897     <property name="analysis">measure</property>
898     <text-property name="displayName">pStatus</text-property>
899     <text-property name="heading">pStatus</text-property>
900   </structure>
901   <structure>
902     <property name="columnName">pTypeId</property>
903     <property name="analysis">measure</property>
904     <text-property name="displayName">pTypeId</text-property>
905     <text-property name="heading">pTypeId</text-property>
906   </structure>
907   <structure>
908     <property name="columnName">Status</property>
909     <property name="analysis">dimension</property>
910     <text-property name="displayName">Status</text-property>
911     <text-property name="heading">Status</text-property>
912   </structure>
913   <structure>
914     <property name="columnName">pLead</property>
915     <property name="analysis">dimension</property>
916     <text-property name="displayName">pLead</text-property>
917     <text-property name="heading">pLead</text-property>
918   </structure>
919   <structure>
920     <property name="columnName">ptName</property>
921     <property name="analysis">dimension</property>
922     <text-property name="displayName">ptName</text-property>
923     <text-property name="heading">ptName</text-property>
924   </structure>
```

```
925 </list-property>
926 <list-property name="parameters">
927   <structure>
928     <property name="name">report_projectId</property>
929     <property name="paramName">report_projectId</property>
930     <property name="nativeName"></property>
931     <property name="dataType">integer</property>
932     <property name="nativeDataType">4</property>
933     <property name="position">1</property>
934     <property name="isInput">>true</property>
935     <property name="isOutput">>false</property>
936   </structure>
937 </list-property>
938 <list-property name="cachedMetaData">
939   <list-property name="resultSet">
940     <structure>
941       <property name="position">1</property>
942       <property name="name">pId</property>
943       <property name="dataType">integer</property>
944     </structure>
945     <structure>
946       <property name="position">2</property>
947       <property name="name">pName</property>
948       <property name="dataType">string</property>
949     </structure>
950     <structure>
951       <property name="position">3</property>
952       <property name="name">pKey</property>
953       <property name="dataType">string</property>
954     </structure>
955     <structure>
956       <property name="position">4</property>
957       <property name="name">pActive</property>
958       <property name="dataType">string</property>
959     </structure>
960     <structure>
961       <property name="position">5</property>
962       <property name="name">pCreatedBy</property>
963       <property name="dataType">integer</property>
964     </structure>
965     <structure>
966       <property name="position">6</property>
967       <property name="name">pCreatedDate</property>
968       <property name="dataType">date-time</property>
969     </structure>
970     <structure>
971       <property name="position">7</property>
972       <property name="name">pStatus</property>
973       <property name="dataType">integer</property>
974     </structure>
975     <structure>
976       <property name="position">8</property>
977       <property name="name">pTypeId</property>
978       <property name="dataType">integer</property>
979     </structure>
980     <structure>
981       <property name="position">9</property>
982       <property name="name">Status</property>
983       <property name="dataType">string</property>
984     </structure>
985     <structure>
986       <property name="position">10</property>
987       <property name="name">pLead</property>
988       <property name="dataType">string</property>
989     </structure>
990     <structure>
991       <property name="position">11</property>
```

```
992         <property name="name">ptName</property>
993         <property name="dataType">string</property>
994     </structure>
995 </list-property>
996 </structure>
997 <property name="dataSource">jama</property>
998 <list-property name="resultSet">
999     <structure>
1000         <property name="position">1</property>
1001         <property name="name">pId</property>
1002         <property name="nativeName">pId</property>
1003         <property name="dataType">integer</property>
1004         <property name="nativeDataType">4</property>
1005     </structure>
1006     <structure>
1007         <property name="position">2</property>
1008         <property name="name">pName</property>
1009         <property name="nativeName">pName</property>
1010         <property name="dataType">string</property>
1011         <property name="nativeDataType">12</property>
1012     </structure>
1013     <structure>
1014         <property name="position">3</property>
1015         <property name="name">pKey</property>
1016         <property name="nativeName">pKey</property>
1017         <property name="dataType">string</property>
1018         <property name="nativeDataType">12</property>
1019     </structure>
1020     <structure>
1021         <property name="position">4</property>
1022         <property name="name">pActive</property>
1023         <property name="nativeName">pActive</property>
1024         <property name="dataType">string</property>
1025         <property name="nativeDataType">12</property>
1026     </structure>
1027     <structure>
1028         <property name="position">5</property>
1029         <property name="name">pCreatedBy</property>
1030         <property name="nativeName">pCreatedBy</property>
1031         <property name="dataType">integer</property>
1032         <property name="nativeDataType">4</property>
1033     </structure>
1034     <structure>
1035         <property name="position">6</property>
1036         <property name="name">pCreateDate</property>
1037         <property name="nativeName">pCreateDate</property>
1038         <property name="dataType">date-time</property>
1039         <property name="nativeDataType">93</property>
1040     </structure>
1041     <structure>
1042         <property name="position">7</property>
1043         <property name="name">pStatus</property>
1044         <property name="nativeName">pStatus</property>
1045         <property name="dataType">integer</property>
1046         <property name="nativeDataType">4</property>
1047     </structure>
1048     <structure>
1049         <property name="position">8</property>
1050         <property name="name">pTypeId</property>
1051         <property name="nativeName">pTypeId</property>
1052         <property name="dataType">integer</property>
1053         <property name="nativeDataType">4</property>
1054     </structure>
1055     <structure>
1056         <property name="position">9</property>
1057         <property name="name">Status</property>
1058         <property name="nativeName">Status</property>
```



```

1059         <property name="dataType">string</property>
1060         <property name="nativeDataType">12</property>
1061     </structure>
1062     <structure>
1063         <property name="position">10</property>
1064         <property name="name">pLead</property>
1065         <property name="nativeName">pLead</property>
1066         <property name="dataType">string</property>
1067         <property name="nativeDataType">12</property>
1068     </structure>
1069     <structure>
1070         <property name="position">11</property>
1071         <property name="name">ptName</property>
1072         <property name="nativeName">ptName</property>
1073         <property name="dataType">string</property>
1074         <property name="nativeDataType">12</property>
1075     </structure>
1076 </list-property>
1077 <xml-property name="queryText"><![CDATA[SELECT
1078 p.id [pId],
1079 p.name [pName],
1080 p.projectKey [pKey],
1081 p.active [pActive],
1082 p.createdBy [pCreatedBy],
1083 p.createdDate [pCreatedDate],
1084 p.statusId [pStatus],
1085 p.projectTypeId [pTypeId],
1086 l.name [Status],
1087 u.lastName + ', ' + u.firstName [pLead],
1088 pt.name [ptName]
1089
1090 FROM
1091     project p
1092     left join projecttype pt on p.projectTypeId = pt.id
1093     left join lookup l on p.statusId = l.id
1094     left join userbase u on p.projectManager = u.id
1095
1096 where
1097     p.active = 't'
1098     and p.id = ?
1099
1100 Order by 2]]></xml-property>
1101 <xml-property name="designerValues"><![CDATA[<?xml version="1.0" encoding=
1102     "UTF-8"?>
1103 <model:DesignValues xmlns:design="
1104     http://www.eclipse.org/datatools/connectivity/oda/design" xmlns:model="
1105     http://www.eclipse.org/birt/report/model/adaptor/odaModel">
1106     <Version>2.0</Version>
1107     <design:ResultSets derivedMetaData="true">
1108     <design:resultSetDefinitions>
1109     <design:resultSetColumns>
1110     <design:resultColumnDefinitions>
1111     <design:attributes>
1112     <design:identifier>
1113     <design:name>pId</design:name>
1114     <design:position>1</design:position>
1115     </design:identifier>
1116     <design:nativeDataTypeCode>4</design:nativeDataTypeCode>
1117     <design:precision>10</design:precision>
1118     <design:scale>0</design:scale>
1119     <design:nullability>NotNullable</design:nullability>
1120     <design:uiHints>
1121     <design:displayName>pId</design:displayName>
1122     </design:uiHints>

```

```
1123     </design:attributes>
1124     <design:usageHints>
1125         <design:label>pId</design:label>
1126         <design:formattingHints>
1127             <design:displaySize>11</design:displaySize>
1128         </design:formattingHints>
1129     </design:usageHints>
1130 </design:resultColumnDefinitions>
1131 <design:resultColumnDefinitions>
1132     <design:attributes>
1133         <design:identifier>
1134             <design:name>pName</design:name>
1135             <design:position>2</design:position>
1136         </design:identifier>
1137         <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
1138         <design:precision>255</design:precision>
1139         <design:scale>0</design:scale>
1140         <design:nullability>Nullable</design:nullability>
1141         <design:uiHints>
1142             <design:displayName>pName</design:displayName>
1143         </design:uiHints>
1144     </design:attributes>
1145     <design:usageHints>
1146         <design:label>pName</design:label>
1147         <design:formattingHints>
1148             <design:displaySize>255</design:displaySize>
1149         </design:formattingHints>
1150     </design:usageHints>
1151 </design:resultColumnDefinitions>
1152 <design:resultColumnDefinitions>
1153     <design:attributes>
1154         <design:identifier>
1155             <design:name>pKey</design:name>
1156             <design:position>3</design:position>
1157         </design:identifier>
1158         <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
1159         <design:precision>255</design:precision>
1160         <design:scale>0</design:scale>
1161         <design:nullability>Nullable</design:nullability>
1162         <design:uiHints>
1163             <design:displayName>pKey</design:displayName>
1164         </design:uiHints>
1165     </design:attributes>
1166     <design:usageHints>
1167         <design:label>pKey</design:label>
1168         <design:formattingHints>
1169             <design:displaySize>255</design:displaySize>
1170         </design:formattingHints>
1171     </design:usageHints>
1172 </design:resultColumnDefinitions>
1173 <design:resultColumnDefinitions>
1174     <design:attributes>
1175         <design:identifier>
1176             <design:name>pActive</design:name>
1177             <design:position>4</design:position>
1178         </design:identifier>
1179         <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
1180         <design:precision>1</design:precision>
1181         <design:scale>0</design:scale>
1182         <design:nullability>Nullable</design:nullability>
1183         <design:uiHints>
1184             <design:displayName>pActive</design:displayName>
1185         </design:uiHints>
1186     </design:attributes>
1187     <design:usageHints>
1188         <design:label>pActive</design:label>
1189         <design:formattingHints>
```

```
1190         <design:displaySize>1</design:displaySize>
1191     </design:formattingHints>
1192 </design:usageHints>
1193 </design:resultColumnDefinitions>
1194 <design:resultColumnDefinitions>
1195     <design:attributes>
1196         <design:identifier>
1197             <design:name>pCreatedBy</design:name>
1198             <design:position>5</design:position>
1199         </design:identifier>
1200         <design:nativeDataTypeCode>4</design:nativeDataTypeCode>
1201         <design:precision>10</design:precision>
1202         <design:scale>0</design:scale>
1203         <design:nullability>Nullable</design:nullability>
1204         <design:uiHints>
1205             <design:displayName>pCreatedBy</design:displayName>
1206         </design:uiHints>
1207     </design:attributes>
1208     <design:usageHints>
1209         <design:label>pCreatedBy</design:label>
1210         <design:formattingHints>
1211             <design:displaySize>11</design:displaySize>
1212         </design:formattingHints>
1213     </design:usageHints>
1214 </design:resultColumnDefinitions>
1215 <design:resultColumnDefinitions>
1216     <design:attributes>
1217         <design:identifier>
1218             <design:name>pCreatedDate</design:name>
1219             <design:position>6</design:position>
1220         </design:identifier>
1221         <design:nativeDataTypeCode>93</design:nativeDataTypeCode>
1222         <design:precision>23</design:precision>
1223         <design:scale>3</design:scale>
1224         <design:nullability>Nullable</design:nullability>
1225         <design:uiHints>
1226             <design:displayName>pCreatedDate</design:displayName>
1227         </design:uiHints>
1228     </design:attributes>
1229     <design:usageHints>
1230         <design:label>pCreatedDate</design:label>
1231         <design:formattingHints>
1232             <design:displaySize>23</design:displaySize>
1233         </design:formattingHints>
1234     </design:usageHints>
1235 </design:resultColumnDefinitions>
1236 <design:resultColumnDefinitions>
1237     <design:attributes>
1238         <design:identifier>
1239             <design:name>pStatus</design:name>
1240             <design:position>7</design:position>
1241         </design:identifier>
1242         <design:nativeDataTypeCode>4</design:nativeDataTypeCode>
1243         <design:precision>10</design:precision>
1244         <design:scale>0</design:scale>
1245         <design:nullability>Nullable</design:nullability>
1246         <design:uiHints>
1247             <design:displayName>pStatus</design:displayName>
1248         </design:uiHints>
1249     </design:attributes>
1250     <design:usageHints>
1251         <design:label>pStatus</design:label>
1252         <design:formattingHints>
1253             <design:displaySize>11</design:displaySize>
1254         </design:formattingHints>
1255     </design:usageHints>
1256 </design:resultColumnDefinitions>
```

```
1257 <design:resultColumnDefinitions>
1258   <design:attributes>
1259     <design:identifier>
1260       <design:name>pTypeId</design:name>
1261       <design:position>8</design:position>
1262     </design:identifier>
1263     <design:nativeDataTypeCode>4</design:nativeDataTypeCode>
1264     <design:precision>10</design:precision>
1265     <design:scale>0</design:scale>
1266     <design:nullability>Nullable</design:nullability>
1267     <design:uiHints>
1268       <design:displayName>pTypeId</design:displayName>
1269     </design:uiHints>
1270   </design:attributes>
1271   <design:usageHints>
1272     <design:label>pTypeId</design:label>
1273     <design:formattingHints>
1274       <design:displaySize>11</design:displaySize>
1275     </design:formattingHints>
1276   </design:usageHints>
1277 </design:resultColumnDefinitions>
1278 <design:resultColumnDefinitions>
1279   <design:attributes>
1280     <design:identifier>
1281       <design:name>Status</design:name>
1282       <design:position>9</design:position>
1283     </design:identifier>
1284     <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
1285     <design:precision>255</design:precision>
1286     <design:scale>0</design:scale>
1287     <design:nullability>Nullable</design:nullability>
1288     <design:uiHints>
1289       <design:displayName>Status</design:displayName>
1290     </design:uiHints>
1291   </design:attributes>
1292   <design:usageHints>
1293     <design:label>Status</design:label>
1294     <design:formattingHints>
1295       <design:displaySize>255</design:displaySize>
1296     </design:formattingHints>
1297   </design:usageHints>
1298 </design:resultColumnDefinitions>
1299 <design:resultColumnDefinitions>
1300   <design:attributes>
1301     <design:identifier>
1302       <design:name>ptName</design:name>
1303       <design:position>10</design:position>
1304     </design:identifier>
1305     <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
1306     <design:precision>255</design:precision>
1307     <design:scale>0</design:scale>
1308     <design:nullability>Nullable</design:nullability>
1309     <design:uiHints>
1310       <design:displayName>ptName</design:displayName>
1311     </design:uiHints>
1312   </design:attributes>
1313   <design:usageHints>
1314     <design:label>ptName</design:label>
1315     <design:formattingHints>
1316       <design:displaySize>255</design:displaySize>
1317     </design:formattingHints>
1318   </design:usageHints>
1319 </design:resultColumnDefinitions>
1320 </design:resultSetColumns>
1321 <design:criteria/>
1322 </design:resultSetDefinitions>
1323 </design:ResultSets>
```

```
1324 </model:DesignValues>]]></xml-property>
1325 </oda-data-set>
1326 <oda-data-set extensionID=
"org.eclipse.birt.report.data.oda.jdbc.JdbcSelectDataSet" name="UsersDataSet" id
="1056">
1327 <list-property name="columnHints">
1328 <structure>
1329 <property name="columnName">uId</property>
1330 <property name="analysis">measure</property>
1331 <text-property name="displayName">uId</text-property>
1332 <text-property name="heading">uId</text-property>
1333 </structure>
1334 <structure>
1335 <property name="columnName">uLastname</property>
1336 <property name="analysis">dimension</property>
1337 <text-property name="displayName">uLastname</text-property>
1338 <text-property name="heading">uLastname</text-property>
1339 </structure>
1340 <structure>
1341 <property name="columnName">uFirstname</property>
1342 <property name="analysis">dimension</property>
1343 <text-property name="displayName">uFirstname</text-property>
1344 <text-property name="heading">uFirstname</text-property>
1345 </structure>
1346 <structure>
1347 <property name="columnName">uLicense</property>
1348 <property name="analysis">dimension</property>
1349 <text-property name="displayName">uLicense</text-property>
1350 <text-property name="heading">uLicense</text-property>
1351 </structure>
1352 <structure>
1353 <property name="columnName">uUsername</property>
1354 <property name="analysis">dimension</property>
1355 <text-property name="displayName">uUsername</text-property>
1356 <text-property name="heading">uUsername</text-property>
1357 </structure>
1358 <structure>
1359 <property name="columnName">disabled</property>
1360 <property name="analysis">dimension</property>
1361 <text-property name="displayName">disabled</text-property>
1362 <text-property name="heading">disabled</text-property>
1363 </structure>
1364 <structure>
1365 <property name="columnName">location</property>
1366 <property name="analysis">dimension</property>
1367 <text-property name="displayName">location</text-property>
1368 <text-property name="heading">location</text-property>
1369 </structure>
1370 <structure>
1371 <property name="columnName">locked</property>
1372 <property name="analysis">dimension</property>
1373 <text-property name="displayName">locked</text-property>
1374 <text-property name="heading">locked</text-property>
1375 </structure>
1376 <structure>
1377 <property name="columnName">disabled_1</property>
1378 <property name="analysis">dimension</property>
1379 <text-property name="displayName">disabled</text-property>
1380 <text-property name="heading">disabled</text-property>
1381 </structure>
1382 </list-property>
1383 <structure name="cachedMetaData">
1384 <list-property name="resultSet">
1385 <structure>
1386 <property name="position">1</property>
1387 <property name="name">uId</property>
1388 <property name="dataType">integer</property>
```

```
1389     </structure>
1390     <structure>
1391         <property name="position">2</property>
1392         <property name="name">uLastname</property>
1393         <property name="dataType">string</property>
1394     </structure>
1395     <structure>
1396         <property name="position">3</property>
1397         <property name="name">uFirstname</property>
1398         <property name="dataType">string</property>
1399     </structure>
1400     <structure>
1401         <property name="position">4</property>
1402         <property name="name">uLicense</property>
1403         <property name="dataType">string</property>
1404     </structure>
1405     <structure>
1406         <property name="position">5</property>
1407         <property name="name">uUsername</property>
1408         <property name="dataType">string</property>
1409     </structure>
1410     <structure>
1411         <property name="position">6</property>
1412         <property name="name">disabled</property>
1413         <property name="dataType">string</property>
1414     </structure>
1415     <structure>
1416         <property name="position">7</property>
1417         <property name="name">location</property>
1418         <property name="dataType">string</property>
1419     </structure>
1420     <structure>
1421         <property name="position">8</property>
1422         <property name="name">locked</property>
1423         <property name="dataType">string</property>
1424     </structure>
1425     <structure>
1426         <property name="position">9</property>
1427         <property name="name">disabled_1</property>
1428         <property name="dataType">string</property>
1429     </structure>
1430 </list-property>
1431 </structure>
1432 <property name="dataSource">jama</property>
1433 <list-property name="resultSet">
1434     <structure>
1435         <property name="position">1</property>
1436         <property name="name">uId</property>
1437         <property name="nativeName">uId</property>
1438         <property name="dataType">integer</property>
1439         <property name="nativeDataType">4</property>
1440     </structure>
1441     <structure>
1442         <property name="position">2</property>
1443         <property name="name">uLastname</property>
1444         <property name="nativeName">uLastname</property>
1445         <property name="dataType">string</property>
1446         <property name="nativeDataType">12</property>
1447     </structure>
1448     <structure>
1449         <property name="position">3</property>
1450         <property name="name">uFirstname</property>
1451         <property name="nativeName">uFirstname</property>
1452         <property name="dataType">string</property>
1453         <property name="nativeDataType">12</property>
1454     </structure>
1455 </structure>
```

```

1456         <property name="position">4</property>
1457         <property name="name">uLicense</property>
1458         <property name="nativeName">uLicense</property>
1459         <property name="dataType">string</property>
1460         <property name="nativeDataType">12</property>
1461     </structure>
1462     <structure>
1463         <property name="position">5</property>
1464         <property name="name">uUsername</property>
1465         <property name="nativeName">uUsername</property>
1466         <property name="dataType">string</property>
1467         <property name="nativeDataType">12</property>
1468     </structure>
1469     <structure>
1470         <property name="position">6</property>
1471         <property name="name">disabled</property>
1472         <property name="nativeName">disabled</property>
1473         <property name="dataType">string</property>
1474         <property name="nativeDataType">12</property>
1475     </structure>
1476     <structure>
1477         <property name="position">7</property>
1478         <property name="name">location</property>
1479         <property name="nativeName">location</property>
1480         <property name="dataType">string</property>
1481         <property name="nativeDataType">12</property>
1482     </structure>
1483     <structure>
1484         <property name="position">8</property>
1485         <property name="name">locked</property>
1486         <property name="nativeName">locked</property>
1487         <property name="dataType">string</property>
1488         <property name="nativeDataType">12</property>
1489     </structure>
1490     <structure>
1491         <property name="position">9</property>
1492         <property name="name">disabled_1</property>
1493         <property name="nativeName">disabled</property>
1494         <property name="dataType">string</property>
1495         <property name="nativeDataType">12</property>
1496     </structure>
1497 </list-property>
1498 <xml-property name="queryText"><![CDATA[
1499 /* USERS V0.1.SQL */
1500 SELECT
1501     u.id [uId],
1502     u.lastName [uLastname],
1503     u.firstName [uFirstname],
1504     u.licenseType [uLicense],
1505     u.userName [uUsername],
1506     u.disabled,
1507     u.location,
1508     u.locked,
1509     u.disabled
1510
1511 FROM
1512     userbase u
1513
1514 order by 2,3]]></xml-property>
1515 <xml-property name="designerValues"><![CDATA[<?xml version="1.0" encoding=
1516     "UTF-8"?>
1517 <model:DesignValues xmlns:design="
1518 http://www.eclipse.org/datatools/connectivity/oda/design" xmlns:model="
1519 http://www.eclipse.org/birt/report/model/adaptor/odaModel">
1518     <Version>2.0</Version>
1519     <design:ResultSets derivedMetaData="true">

```

```
1520 <design:resultSetDefinitions>
1521   <design:resultSetColumns>
1522     <design:resultColumnDefinitions>
1523       <design:attributes>
1524         <design:identifier>
1525           <design:name>uId</design:name>
1526           <design:position>1</design:position>
1527         </design:identifier>
1528         <design:nativeDataTypeCode>4</design:nativeDataTypeCode>
1529         <design:precision>10</design:precision>
1530         <design:scale>0</design:scale>
1531         <design:nullability>NotNullable</design:nullability>
1532         <design:uiHints>
1533           <design:displayName>uId</design:displayName>
1534         </design:uiHints>
1535       </design:attributes>
1536       <design:usageHints>
1537         <design:label>uId</design:label>
1538         <design:formattingHints>
1539           <design:displaySize>11</design:displaySize>
1540         </design:formattingHints>
1541       </design:usageHints>
1542     </design:resultColumnDefinitions>
1543   </design:resultSetColumns>
1544   <design:resultColumnDefinitions>
1545     <design:attributes>
1546       <design:identifier>
1547         <design:name>uLastname</design:name>
1548         <design:position>2</design:position>
1549       </design:identifier>
1550       <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
1551       <design:precision>255</design:precision>
1552       <design:scale>0</design:scale>
1553       <design:nullability>Nullable</design:nullability>
1554       <design:uiHints>
1555         <design:displayName>uLastname</design:displayName>
1556       </design:uiHints>
1557     </design:attributes>
1558     <design:usageHints>
1559       <design:label>uLastname</design:label>
1560       <design:formattingHints>
1561         <design:displaySize>255</design:displaySize>
1562       </design:formattingHints>
1563     </design:usageHints>
1564   </design:resultColumnDefinitions>
1565   <design:resultColumnDefinitions>
1566     <design:attributes>
1567       <design:identifier>
1568         <design:name>uFirstname</design:name>
1569         <design:position>3</design:position>
1570       </design:identifier>
1571       <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
1572       <design:precision>255</design:precision>
1573       <design:scale>0</design:scale>
1574       <design:nullability>Nullable</design:nullability>
1575       <design:uiHints>
1576         <design:displayName>uFirstname</design:displayName>
1577       </design:uiHints>
1578     </design:attributes>
1579     <design:usageHints>
1580       <design:label>uFirstname</design:label>
1581       <design:formattingHints>
1582         <design:displaySize>255</design:displaySize>
1583       </design:formattingHints>
1584     </design:usageHints>
1585   </design:resultColumnDefinitions>
1586   </design:resultSetColumns>
1587 </design:resultSetDefinitions>
```



```
1587     <design:identifier>
1588         <design:name>uLicense</design:name>
1589         <design:position>4</design:position>
1590     </design:identifier>
1591     <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
1592     <design:precision>255</design:precision>
1593     <design:scale>0</design:scale>
1594     <design:nullability>Nullable</design:nullability>
1595     <design:uiHints>
1596         <design:displayName>uLicense</design:displayName>
1597     </design:uiHints>
1598 </design:attributes>
1599 <design:usageHints>
1600     <design:label>uLicense</design:label>
1601     <design:formattingHints>
1602         <design:displaySize>255</design:displaySize>
1603     </design:formattingHints>
1604 </design:usageHints>
1605 </design:resultColumnDefinitions>
1606 <design:resultColumnDefinitions>
1607     <design:attributes>
1608         <design:identifier>
1609             <design:name>uUsername</design:name>
1610             <design:position>5</design:position>
1611         </design:identifier>
1612         <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
1613         <design:precision>255</design:precision>
1614         <design:scale>0</design:scale>
1615         <design:nullability>NotNullable</design:nullability>
1616         <design:uiHints>
1617             <design:displayName>uUsername</design:displayName>
1618         </design:uiHints>
1619     </design:attributes>
1620     <design:usageHints>
1621         <design:label>uUsername</design:label>
1622         <design:formattingHints>
1623             <design:displaySize>255</design:displaySize>
1624         </design:formattingHints>
1625     </design:usageHints>
1626 </design:resultColumnDefinitions>
1627 <design:resultColumnDefinitions>
1628     <design:attributes>
1629         <design:identifier>
1630             <design:name>disabled</design:name>
1631             <design:position>6</design:position>
1632         </design:identifier>
1633         <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
1634         <design:precision>1</design:precision>
1635         <design:scale>0</design:scale>
1636         <design:nullability>Nullable</design:nullability>
1637         <design:uiHints>
1638             <design:displayName>disabled</design:displayName>
1639         </design:uiHints>
1640     </design:attributes>
1641     <design:usageHints>
1642         <design:label>disabled</design:label>
1643         <design:formattingHints>
1644             <design:displaySize>1</design:displaySize>
1645         </design:formattingHints>
1646     </design:usageHints>
1647 </design:resultColumnDefinitions>
1648 <design:resultColumnDefinitions>
1649     <design:attributes>
1650         <design:identifier>
1651             <design:name>location</design:name>
1652             <design:position>7</design:position>
1653         </design:identifier>
```

```
1654     <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
1655     <design:precision>64</design:precision>
1656     <design:scale>0</design:scale>
1657     <design:nullability>Nullable</design:nullability>
1658     <design:uiHints>
1659         <design:displayName>location</design:displayName>
1660     </design:uiHints>
1661 </design:attributes>
1662 <design:usageHints>
1663     <design:label>location</design:label>
1664     <design:formattingHints>
1665         <design:displaySize>64</design:displaySize>
1666     </design:formattingHints>
1667 </design:usageHints>
1668 </design:resultColumnDefinitions>
1669 <design:resultColumnDefinitions>
1670     <design:attributes>
1671         <design:identifier>
1672             <design:name>locked</design:name>
1673             <design:position>8</design:position>
1674         </design:identifier>
1675         <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
1676         <design:precision>1</design:precision>
1677         <design:scale>0</design:scale>
1678         <design:nullability>Nullable</design:nullability>
1679         <design:uiHints>
1680             <design:displayName>locked</design:displayName>
1681         </design:uiHints>
1682     </design:attributes>
1683     <design:usageHints>
1684         <design:label>locked</design:label>
1685         <design:formattingHints>
1686             <design:displaySize>1</design:displaySize>
1687         </design:formattingHints>
1688     </design:usageHints>
1689 </design:resultColumnDefinitions>
1690 <design:resultColumnDefinitions>
1691     <design:attributes>
1692         <design:identifier>
1693             <design:name>disabled</design:name>
1694             <design:position>9</design:position>
1695         </design:identifier>
1696         <design:nativeDataTypeCode>12</design:nativeDataTypeCode>
1697         <design:precision>1</design:precision>
1698         <design:scale>0</design:scale>
1699         <design:nullability>Nullable</design:nullability>
1700         <design:uiHints>
1701             <design:displayName>disabled</design:displayName>
1702         </design:uiHints>
1703     </design:attributes>
1704     <design:usageHints>
1705         <design:label>disabled</design:label>
1706         <design:formattingHints>
1707             <design:displaySize>1</design:displaySize>
1708         </design:formattingHints>
1709     </design:usageHints>
1710 </design:resultColumnDefinitions>
1711 </design:resultSetColumns>
1712 <design:criteria/>
1713 </design:resultSetDefinitions>
1714 </design:ResultSets>
1715 </model:DesignValues>]]></xml-property>
1716     </oda-data-set>
1717 </data-sets>
1718 <cubes>
1719     <tabular-cube name="WorkItemsDataCube" id="22">
1720         <property name="dimensions">
```

```
1721 <tabular-dimension name="StatusGroup" id="23">
1722   <property name="defaultHierarchy">NewTabularHierarchy</property>
1723   <property name="hierarchies">
1724     <tabular-hierarchy name="NewTabularHierarchy" id="24">
1725       <property name="levels">
1726         <tabular-level name="Status_Order" id="314">
1727           <property name="dataType">integer</property>
1728           <property name="levelType">dynamic</property>
1729           <property name="columnName">Status_Order</property>
1730           <expression name="displayColumnName" type=
1731             "javascript">dataSetRow["Status_Order"]</expression>
1732         </tabular-level>
1733         <tabular-level name="Status" id="25">
1734           <property name="dataType">string</property>
1735           <property name="levelType">dynamic</property>
1736           <property name="columnName">Status</property>
1737           <expression name="displayColumnName" type=
1738             "javascript">dataSetRow["Status"]</expression>
1739         </tabular-level>
1740       </property>
1741     </tabular-hierarchy>
1742   </property>
1743 </tabular-dimension>
1744 <tabular-dimension name="DateGroup" id="26">
1745   <property name="defaultHierarchy">NewTabularHierarchy1</property>
1746   <property name="hierarchies">
1747     <tabular-hierarchy name="NewTabularHierarchy1" id="27">
1748       <property name="levels">
1749         <tabular-level name="Year" id="102">
1750           <property name="dataType">integer</property>
1751           <property name="levelType">dynamic</property>
1752           <property name="columnName">Year</property>
1753           <expression name="displayColumnName" type=
1754             "javascript">dataSetRow["Year"]</expression>
1755         </tabular-level>
1756         <tabular-level name="MonthOrder" id="313">
1757           <property name="dataType">decimal</property>
1758           <property name="levelType">dynamic</property>
1759           <property name="columnName">MonthOrder</property>
1760           <expression name="displayColumnName" type=
1761             "javascript">dataSetRow["MonthOrder"]</expression>
1762         </tabular-level>
1763         <tabular-level name="Month" id="315">
1764           <property name="dataType">string</property>
1765           <property name="levelType">dynamic</property>
1766           <property name="columnName">Month</property>
1767           <expression name="displayColumnName" type=
1768             "javascript">dataSetRow["Month"]</expression>
1769         </tabular-level>
1770       </property>
1771     </tabular-hierarchy>
1772   </property>
1773 </tabular-dimension>
1774 <tabular-dimension name="ProjectGroup" id="32">
1775   <property name="isTimeType">>false</property>
1776   <property name="defaultHierarchy">NewTabularHierarchy3</property>
1777   <property name="hierarchies">
1778     <tabular-hierarchy name="NewTabularHierarchy3" id="33">
1779       <property name="levels">
1780         <tabular-level name="Project" id="139">
1781           <property name="dataType">string</property>
1782           <property name="levelType">dynamic</property>
1783           <property name="columnName">Project</property>
1784           <expression name="displayColumnName" type=
1785             "javascript">dataSetRow["Project"]</expression>
1786         </tabular-level>
1787       </property>
1788     </tabular-hierarchy>
1789   </property>
1790 </tabular-dimension>
```

```

1782         </tabular-hierarchy>
1783     </property>
1784 </tabular-dimension>
1785 <tabular-dimension name="DocTypeGroup" id="704">
1786     <property name="defaultHierarchy">NewTabularHierarchy2</property>
1787     <property name="hierarchies">
1788         <tabular-hierarchy name="NewTabularHierarchy2" id="705">
1789             <property name="levels">
1790                 <tabular-level name="Type" id="1985">
1791                     <property name="dataType">string</property>
1792                     <property name="columnName">Type</property>
1793                 </tabular-level>
1794                 <tabular-level name="TypeId" id="1984">
1795                     <property name="dataType">integer</property>
1796                     <property name="columnName">TypeId</property>
1797                 </tabular-level>
1798             </property>
1799         </tabular-hierarchy>
1800     </property>
1801 </tabular-dimension>
1802 <tabular-dimension name="AssignedGroup" id="831">
1803     <property name="defaultHierarchy">NewTabularHierarchy4</property>
1804     <property name="hierarchies">
1805         <tabular-hierarchy name="NewTabularHierarchy4" id="832">
1806             <property name="levels">
1807                 <tabular-level name="Assigned" id="833">
1808                     <property name="dataType">string</property>
1809                     <property name="columnName">Assigned</property>
1810                 </tabular-level>
1811             </property>
1812         </tabular-hierarchy>
1813     </property>
1814 </tabular-dimension>
1815 </property>
1816 <property name="measureGroups">
1817     <tabular-measure-group name="KeySummary" id="40">
1818         <property name="measures">
1819             <tabular-measure name="Key" id="41">
1820                 <text-property name="displayName">Key</text-property>
1821                 <property name="function">count</property>
1822                 <property name="isCalculated">>false</property>
1823                 <expression name="measureExpression" type="javascript">
1824                     dataSetRow["Key"]</expression>
1825                 <property name="dataType">integer</property>
1826                 <property name="isVisible">>true</property>
1827             </tabular-measure>
1828         </property>
1829     </tabular-measure-group>
1830 </property>
1831 <property name="dataSet">WorkItemsDataSet</property>
1832 </tabular-cube>
1833 </cubes>
1834 <styles>
1835 <style name="report" id="4">
1836     <property name="fontFamily">sans-serif</property>
1837     <property name="fontSize">10pt</property>
1838 </style>
1839 <style name="crosstab-cell" id="5">
1840     <property name="borderBottomColor">#CCCCCC</property>
1841     <property name="borderBottomStyle">solid</property>
1842     <property name="borderBottomWidth">1pt</property>
1843     <property name="borderLeftColor">#CCCCCC</property>
1844     <property name="borderLeftStyle">solid</property>
1845     <property name="borderLeftWidth">1pt</property>
1846     <property name="borderRightColor">#CCCCCC</property>
1847     <property name="borderRightStyle">solid</property>
1848     <property name="borderRightWidth">1pt</property>

```

```

1848     <property name="borderTopColor">#CCCCCC</property>
1849     <property name="borderTopStyle">solid</property>
1850     <property name="borderTopWidth">1pt</property>
1851 </style>
1852 <style name="crosstab" id="6">
1853     <property name="borderBottomColor">#CCCCCC</property>
1854     <property name="borderBottomStyle">solid</property>
1855     <property name="borderBottomWidth">1pt</property>
1856     <property name="borderLeftColor">#CCCCCC</property>
1857     <property name="borderLeftStyle">solid</property>
1858     <property name="borderLeftWidth">1pt</property>
1859     <property name="borderRightColor">#CCCCCC</property>
1860     <property name="borderRightStyle">solid</property>
1861     <property name="borderRightWidth">1pt</property>
1862     <property name="borderTopColor">#CCCCCC</property>
1863     <property name="borderTopStyle">solid</property>
1864     <property name="borderTopWidth">1pt</property>
1865 </style>
1866 </styles>
1867 <page-setup>
1868     <simple-master-page name="NewSimpleMasterPage" id="571">
1869         <property name="topMargin">0in</property>
1870         <property name="leftMargin">0.5in</property>
1871         <property name="bottomMargin">0in</property>
1872         <property name="rightMargin">0.5in</property>
1873         <property name="headerHeight">0.8in</property>
1874         <property name="footerHeight">0.8in</property>
1875     <page-header>
1876         <grid id="572">
1877             <column id="573"/>
1878             <row id="636">
1879                 <cell id="637">
1880                     <property name="textAlign">center</property>
1881                     <grid id="639">
1882                         <property name="width">2in</property>
1883                         <column id="640"/>
1884                         <row id="641">
1885                             <property name="textAlign">center</property>
1886                             <cell id="642">
1887                                 <label id="582">
1888                                     <property name="backgroundColor">lime
1889                                     </property>
1890                                     <property name="fontSize">12pt</property>
1891                                     <property name="fontWeight">bold</property>
1892                                     <property name="textAlign">center</property>
1893                                     <text-property name="text">
1894                                         UNCLASSIFIED//FOUO</text-property>
1895                                 </label>
1896                             </cell>
1897                         </row>
1898                     </grid>
1899                 </cell>
1900             </row>
1901             <row id="678">
1902                 <cell id="679">
1903                     <property name="textAlign">center</property>
1904                     <text id="1507">
1905                         <property name="fontSize">12pt</property>
1906                         <property name="fontWeight">bold</property>
1907                         <property name="contentType">html</property>
1908                         <text-property name="content">
1909                             <![CDATA[<VALUE-OF>params["report_name"].value</VALUE-OF>
1910                             ]]></text-property>
1911                     </text>
1912                 </cell>
1913             </row>
1914         </grid>

```

```
1911 </page-header>
1912 <page-footer>
1913 <grid id="583">
1914 <column id="584"/>
1915 <row id="1057">
1916 <cell id="1058">
1917 <property name="textAlign">center</property>
1918 <text id="1059">
1919 <property name="contentType">html</property>
1920 <text-property name="content"><![CDATA[<VALUE-OF>new
Date ()</VALUE-OF>]]></text-property>
1921 </text>
1922 </cell>
1923 </row>
1924 <row id="585">
1925 <cell id="586">
1926 <property name="textAlign">center</property>
1927 <grid id="643">
1928 <property name="width">2in</property>
1929 <column id="644"/>
1930 <row id="645">
1931 <cell id="646">
1932 <grid id="681">
1933 <column id="682"/>
1934 <column id="683"/>
1935 <column id="684"/>
1936 <row id="685">
1937 <cell id="686">
1938 <auto-text id="687">
1939 <property name="type">
page-number</property>
</auto-text>
1940 </cell>
1941 <cell id="688">
1942 <text id="689">
1943 <property name="contentType">
plain</property>
1944 <text-property name="content">
<![CDATA[ / ] ]></text-property>
1945 </text>
1946 </cell>
1947 <cell id="690">
1948 <auto-text id="691">
1949 <property name="type">total-page
</property>
1950 </auto-text>
1951 </cell>
1952 </row>
1953 </grid>
1954 </cell>
1955 </row>
1956 </grid>
1957 </cell>
1958 </row>
1959 </grid>
1960 </page-footer>
1961 </simple-master-page>
1962 </page-setup>
1963 <body>
1964 <grid name="Report Title" id="1508">
1965 <column id="1509"/>
1966 <row id="1510">
1967 <cell id="1511">
1968 <table id="1962">
1969 <property name="dataSet">ProjectsDataSet</property>
1970 <list-property name="boundDataColumns">
1971 <structure>
1972
```

```
1973     <property name="name">pId</property>
1974     <text-property name="displayName">pId</text-property>
1975     <expression name="expression" type="javascript">
1976         dataSetRow["pId"]</expression>
1977     <property name="dataType">integer</property>
1978 </structure>
1979 <structure>
1980     <property name="name">pName</property>
1981     <text-property name="displayName">pName</text-property>
1982     <expression name="expression" type="javascript">
1983         dataSetRow["pName"]</expression>
1984     <property name="dataType">string</property>
1985 </structure>
1986 <structure>
1987     <property name="name">pKey</property>
1988     <text-property name="displayName">pKey</text-property>
1989     <expression name="expression" type="javascript">
1990         dataSetRow["pKey"]</expression>
1991     <property name="dataType">string</property>
1992 </structure>
1993 <structure>
1994     <property name="name">pActive</property>
1995     <text-property name="displayName">pActive</text-property>
1996     <expression name="expression" type="javascript">
1997         dataSetRow["pActive"]</expression>
1998     <property name="dataType">string</property>
1999 </structure>
2000 <structure>
2001     <property name="name">pCreatedBy</property>
2002     <text-property name="displayName">pCreatedBy</text-property>
2003     <expression name="expression" type="javascript">
2004         dataSetRow["pCreatedBy"]</expression>
2005     <property name="dataType">integer</property>
2006 </structure>
2007 <structure>
2008     <property name="name">pCreatedDate</property>
2009     <text-property name="displayName">pCreatedDate</text-property>
2010     <expression name="expression" type="javascript">
2011         dataSetRow["pCreatedDate"]</expression>
2012     <property name="dataType">date-time</property>
2013 </structure>
2014 <structure>
2015     <property name="name">pStatus</property>
2016     <text-property name="displayName">pStatus</text-property>
2017     <expression name="expression" type="javascript">
2018         dataSetRow["pStatus"]</expression>
2019     <property name="dataType">integer</property>
2020 </structure>
2021 <structure>
2022     <property name="name">pTypeId</property>
2023     <text-property name="displayName">pTypeId</text-property>
2024     <expression name="expression" type="javascript">
2025         dataSetRow["pTypeId"]</expression>
2026     <property name="dataType">integer</property>
2027 </structure>
2028 <structure>
2029     <property name="name">Status</property>
2030     <text-property name="displayName">Status</text-property>
2031     <expression name="expression" type="javascript">
2032         dataSetRow["Status"]</expression>
2033     <property name="dataType">string</property>
2034 </structure>
2035 <structure>
2036     <property name="name">pLead</property>
2037     <text-property name="displayName">pLead</text-property>
```

```

2029         <expression name="expression" type="javascript">
                dataSetRow["pLead"]</expression>
2030         <property name="dataType">string</property>
2031     </structure>
2032 </structure>
2033     <property name="name">ptName</property>
2034     <text-property name="displayName">ptName</text-property>
2035     <expression name="expression" type="javascript">
                dataSetRow["ptName"]</expression>
2036     <property name="dataType">string</property>
2037 </structure>
2038 </list-property>
2039 <column id="1969"/>
2040 <detail>
2041     <row id="1965">
2042         <cell id="1966">
2043             <text id="1970">
2044                 <property name="fontWeight">bold</property>
2045                 <property name="paddingBottom">1in</property>
2046                 <property name="textAlign">center</property>
2047                 <property name="contentType">html</property>
2048                 <text-property name="content"><![CDATA[<h1>
2049                     <VALUE-OF>row["pName"]</VALUE-OF>
2050 </H1>
2051 <h2>
2052     <VALUE-OF>"Project Lead: "+row["pLead"]</VALUE-OF>
2053 </H2>
2054 <h2>
2055     Report Start Date: <VALUE-OF format="MMMM d, y">params["report_startdate"].value
2056 </VALUE-OF>
2057 </H2>
2058 <h2>
2059     Report End Date: <VALUE-OF format="MMMM d, y">params["report_enddate"].value
2060 </VALUE-OF>
2061 </h2>]]></text-property>
2062 </text>
2063     </cell>
2064 </row>
2065 </detail>
2066 </table>
2067 </cell>
2068 </row>
2069 </grid>
2070 <grid name="Work Items Count" id="260">
2071     <column id="261">
2072         <property name="textAlign">center</property>
2073     </column>
2074     <row id="299">
2075         <cell id="300">
2076             <extended-item extensionName="Chart" id="66">
2077                 <property name="cube">WorkItemsDataCube</property>
2078                 <xml-property name="xmlRepresentation">
2079                     <![CDATA[<model:ChartWithAxes xmlns:xsi="
                        http://www.w3.org/2001/XMLSchema-instance" xmlns:attribute="
                        http://www.birt.eclipse.org/ChartModelAttribute" xmlns:data="
                        http://www.birt.eclipse.org/ChartModelData" xmlns:layout="
                        http://www.birt.eclipse.org/ChartModelLayout" xmlns:model="
                        http://www.birt.eclipse.org/ChartModel" xmlns:type="
                        http://www.birt.eclipse.org/ChartModelType">
2080 <Version>2.6.1</Version>
2081 <Type>Bar Chart</Type>
2082 <SubType>Side-by-side</SubType>
2083 <Block>
2084     <Children xsi:type="layout:TitleBlock">

```



```
2085 <Bounds>
2086   <Left>0.0</Left>
2087   <Top>0.0</Top>
2088   <Width>0.0</Width>
2089   <Height>0.0</Height>
2090 </Bounds>
2091 <Insets>
2092   <Top>3.0</Top>
2093   <Left>3.0</Left>
2094   <Bottom>3.0</Bottom>
2095   <Right>3.0</Right>
2096 </Insets>
2097 <Row>-1</Row>
2098 <Column>-1</Column>
2099 <Rowspan>-1</Rowspan>
2100 <Columnspan>-1</Columnspan>
2101 <Outline>
2102   <Style>Solid</Style>
2103   <Thickness>1</Thickness>
2104   <Color>
2105     <Transparency>255</Transparency>
2106     <Red>0</Red>
2107     <Green>0</Green>
2108     <Blue>0</Blue>
2109   </Color>
2110   <Visible>>false</Visible>
2111 </Outline>
2112 <Visible>>true</Visible>
2113 <Label>
2114   <Caption>
2115     <Value>Work and Tracking Items by Status</Value>
2116     <Font>
2117       <Size>12.0</Size>
2118       <Bold>>true</Bold>
2119       <Alignment>
2120         <horizontalAlignment>Center</horizontalAlignment>
2121         <verticalAlignment>Center</verticalAlignment>
2122       </Alignment>
2123     </Font>
2124   </Caption>
2125   <Background xsi:type="attribute:ColorDefinition">
2126     <Transparency>0</Transparency>
2127     <Red>255</Red>
2128     <Green>255</Green>
2129     <Blue>255</Blue>
2130   </Background>
2131   <Outline>
2132     <Style>Solid</Style>
2133     <Thickness>1</Thickness>
2134     <Color>
2135       <Transparency>255</Transparency>
2136       <Red>0</Red>
2137       <Green>0</Green>
2138       <Blue>0</Blue>
2139     </Color>
2140   </Outline>
2141   <Insets>
2142     <Top>0.0</Top>
2143     <Left>2.0</Left>
2144     <Bottom>0.0</Bottom>
2145     <Right>3.0</Right>
2146   </Insets>
2147   <Visible>>true</Visible>
2148 </Label>
2149 </Children>
2150 <Children xsi:type="layout:Plot">
2151   <Bounds>
```

```
2152     <Left>0.0</Left>
2153     <Top>0.0</Top>
2154     <Width>0.0</Width>
2155     <Height>0.0</Height>
2156 </Bounds>
2157 <Insets>
2158     <Top>3.0</Top>
2159     <Left>3.0</Left>
2160     <Bottom>3.0</Bottom>
2161     <Right>3.0</Right>
2162 </Insets>
2163 <Row>-1</Row>
2164 <Column>-1</Column>
2165 <Rowspan>-1</Rowspan>
2166 <Columnspan>-1</Columnspan>
2167 <Outline>
2168     <Style>Solid</Style>
2169     <Thickness>1</Thickness>
2170     <Color>
2171         <Transparency>255</Transparency>
2172         <Red>0</Red>
2173         <Green>0</Green>
2174         <Blue>0</Blue>
2175     </Color>
2176     <Visible>>false</Visible>
2177 </Outline>
2178 <Visible>>true</Visible>
2179 <HorizontalSpacing>5</HorizontalSpacing>
2180 <VerticalSpacing>5</VerticalSpacing>
2181 <ClientArea>
2182     <Outline>
2183         <Style>Solid</Style>
2184         <Thickness>0</Thickness>
2185         <Color>
2186             <Transparency>255</Transparency>
2187             <Red>0</Red>
2188             <Green>0</Green>
2189             <Blue>0</Blue>
2190         </Color>
2191         <Visible>>false</Visible>
2192     </Outline>
2193     <Insets>
2194         <Top>0.0</Top>
2195         <Left>0.0</Left>
2196         <Bottom>0.0</Bottom>
2197         <Right>0.0</Right>
2198     </Insets>
2199 </ClientArea>
2200 </Children>
2201 <Children xsi:type="layout:Legend">
2202     <Bounds>
2203         <Left>0.0</Left>
2204         <Top>0.0</Top>
2205         <Width>0.0</Width>
2206         <Height>0.0</Height>
2207     </Bounds>
2208     <Insets>
2209         <Top>3.0</Top>
2210         <Left>3.0</Left>
2211         <Bottom>3.0</Bottom>
2212         <Right>3.0</Right>
2213     </Insets>
2214     <Row>-1</Row>
2215     <Column>-1</Column>
2216     <Rowspan>-1</Rowspan>
2217     <Columnspan>-1</Columnspan>
2218     <Outline>
```

```
2219     <Style>Solid</Style>
2220     <Thickness>1</Thickness>
2221     <Color>
2222         <Transparency>255</Transparency>
2223         <Red>0</Red>
2224         <Green>0</Green>
2225         <Blue>0</Blue>
2226     </Color>
2227     <Visible>>false</Visible>
2228 </Outline>
2229 <Visible>>false</Visible>
2230 <ClientArea>
2231     <Outline>
2232         <Style>Solid</Style>
2233         <Thickness>0</Thickness>
2234         <Color>
2235             <Transparency>255</Transparency>
2236             <Red>0</Red>
2237             <Green>0</Green>
2238             <Blue>0</Blue>
2239         </Color>
2240         <Visible>>false</Visible>
2241     </Outline>
2242     <Insets>
2243         <Top>2.0</Top>
2244         <Left>2.0</Left>
2245         <Bottom>2.0</Bottom>
2246         <Right>2.0</Right>
2247     </Insets>
2248 </ClientArea>
2249 <Text>
2250     <Value></Value>
2251     <Font>
2252         <Alignment/>
2253     </Font>
2254 </Text>
2255 <Orientation>Vertical</Orientation>
2256 <Direction>Top_Bottom</Direction>
2257 <Separator>
2258     <Style>Solid</Style>
2259     <Thickness>1</Thickness>
2260     <Color>
2261         <Transparency>255</Transparency>
2262         <Red>0</Red>
2263         <Green>0</Green>
2264         <Blue>0</Blue>
2265     </Color>
2266     <Visible>>true</Visible>
2267 </Separator>
2268 <Position>Right</Position>
2269 <ItemType>Series</ItemType>
2270 <Title>
2271     <Caption>
2272         <Value></Value>
2273         <Font>
2274             <Alignment/>
2275         </Font>
2276     </Caption>
2277     <Background xsi:type="attribute:ColorDefinition">
2278         <Transparency>0</Transparency>
2279         <Red>255</Red>
2280         <Green>255</Green>
2281         <Blue>255</Blue>
2282     </Background>
2283     <Outline>
2284         <Style>Solid</Style>
2285         <Thickness>1</Thickness>
```

```
2286         <Color>
2287         <Transparency>255</Transparency>
2288         <Red>0</Red>
2289         <Green>0</Green>
2290         <Blue>0</Blue>
2291     </Color>
2292     <Visible>>false</Visible>
2293 </Outline>
2294 <Insets>
2295     <Top>0.0</Top>
2296     <Left>2.0</Left>
2297     <Bottom>0.0</Bottom>
2298     <Right>3.0</Right>
2299 </Insets>
2300 <Visible>>false</Visible>
2301 </Title>
2302 <TitlePosition>Above</TitlePosition>
2303 </Children>
2304 <Bounds>
2305     <Left>0.0</Left>
2306     <Top>0.0</Top>
2307     <Width>572.25</Width>
2308     <Height>286.125</Height>
2309 </Bounds>
2310 <Insets>
2311     <Top>3.0</Top>
2312     <Left>3.0</Left>
2313     <Bottom>3.0</Bottom>
2314     <Right>3.0</Right>
2315 </Insets>
2316 <Row>-1</Row>
2317 <Column>-1</Column>
2318 <Rowspan>-1</Rowspan>
2319 <Columnspan>-1</Columnspan>
2320 <Outline>
2321     <Style>Solid</Style>
2322     <Thickness>1</Thickness>
2323     <Color>
2324         <Transparency>255</Transparency>
2325         <Red>0</Red>
2326         <Green>0</Green>
2327         <Blue>0</Blue>
2328     </Color>
2329     <Visible>>false</Visible>
2330 </Outline>
2331 <Visible>>true</Visible>
2332 </Block>
2333 <Dimension>Two_Dimensional</Dimension>
2334 <Units>Points</Units>
2335 <SeriesThickness>10.0</SeriesThickness>
2336 <ExtendedProperties>
2337     <Name>enable.area.alt</Name>
2338     <Value>>false</Value>
2339 </ExtendedProperties>
2340 <SampleData>
2341     <BaseSampleData>
2342         <DataSetRepresentation>'A', 'B', 'C', 'D', 'E'</DataSetRepresentation>
2343     </BaseSampleData>
2344     <OrthogonalSampleData>
2345         <DataSetRepresentation>5, 4, 12</DataSetRepresentation>
2346         <SeriesDefinitionIndex>0</SeriesDefinitionIndex>
2347     </OrthogonalSampleData>
2348 </SampleData>
2349 <Interactivity/>
2350 <EmptyMessage>
2351     <Caption>
2352         <Value>This chart contains no data.</Value>
```

```
2353     <Font>
2354         <Alignment>
2355             <horizontalAlignment>Center</horizontalAlignment>
2356             <verticalAlignment>Center</verticalAlignment>
2357         </Alignment>
2358     </Font>
2359 </Caption>
2360 <Background xsi:type="attribute:ColorDefinition">
2361     <Transparency>64</Transparency>
2362     <Red>127</Red>
2363     <Green>127</Green>
2364     <Blue>127</Blue>
2365 </Background>
2366 <Outline>
2367     <Color>
2368         <Transparency>128</Transparency>
2369         <Red>127</Red>
2370         <Green>127</Green>
2371         <Blue>127</Blue>
2372     </Color>
2373     <Visible>>true</Visible>
2374 </Outline>
2375 <Insets>
2376     <Top>10.0</Top>
2377     <Left>10.0</Left>
2378     <Bottom>10.0</Bottom>
2379     <Right>10.0</Right>
2380 </Insets>
2381 <Visible>>false</Visible>
2382 </EmptyMessage>
2383 <Axes>
2384     <Type>Text</Type>
2385     <Title>
2386         <Caption>
2387             <Value>Status</Value>
2388             <Font>
2389                 <Size>14.0</Size>
2390                 <Bold>>true</Bold>
2391                 <Alignment>
2392                     <horizontalAlignment>Center</horizontalAlignment>
2393                     <verticalAlignment>Center</verticalAlignment>
2394                 </Alignment>
2395             </Font>
2396         </Caption>
2397         <Background xsi:type="attribute:ColorDefinition">
2398             <Transparency>0</Transparency>
2399             <Red>255</Red>
2400             <Green>255</Green>
2401             <Blue>255</Blue>
2402         </Background>
2403         <Outline>
2404             <Style>Solid</Style>
2405             <Thickness>1</Thickness>
2406             <Color>
2407                 <Transparency>255</Transparency>
2408                 <Red>0</Red>
2409                 <Green>0</Green>
2410                 <Blue>0</Blue>
2411             </Color>
2412         </Outline>
2413         <Insets>
2414             <Top>0.0</Top>
2415             <Left>2.0</Left>
2416             <Bottom>0.0</Bottom>
2417             <Right>3.0</Right>
2418         </Insets>
2419         <Visible>>false</Visible>
```

```

2420 </Title>
2421 <TitlePosition>Below</TitlePosition>
2422 <AssociatedAxes>
2423   <Type>Linear</Type>
2424   <Title>
2425     <Caption>
2426       <Value>Count</Value>
2427       <Font>
2428         <Size>14.0</Size>
2429         <Bold>>true</Bold>
2430         <Alignment>
2431           <horizontalAlignment>Center</horizontalAlignment>
2432           <verticalAlignment>Center</verticalAlignment>
2433         </Alignment>
2434       </Font>
2435     </Caption>
2436     <Background xsi:type="attribute:ColorDefinition">
2437       <Transparency>0</Transparency>
2438       <Red>255</Red>
2439       <Green>255</Green>
2440       <Blue>255</Blue>
2441     </Background>
2442     <Outline>
2443       <Style>Solid</Style>
2444       <Thickness>1</Thickness>
2445       <Color>
2446         <Transparency>255</Transparency>
2447         <Red>0</Red>
2448         <Green>0</Green>
2449         <Blue>0</Blue>
2450       </Color>
2451     </Outline>
2452     <Insets>
2453       <Top>0.0</Top>
2454       <Left>2.0</Left>
2455       <Bottom>0.0</Bottom>
2456       <Right>3.0</Right>
2457     </Insets>
2458     <Visible>true</Visible>
2459   </Title>
2460 <TitlePosition>Left</TitlePosition>
2461 <SeriesDefinitions>
2462   <Query>
2463     <Definition></Definition>
2464   </Query>
2465   <SeriesPalette>
2466     <Entries xsi:type="attribute:ColorDefinition">
2467       <Transparency>255</Transparency>
2468       <Red>80</Red>
2469       <Green>166</Green>
2470       <Blue>218</Blue>
2471     </Entries>
2472     <Entries xsi:type="attribute:ColorDefinition">
2473       <Transparency>255</Transparency>
2474       <Red>242</Red>
2475       <Green>88</Green>
2476       <Blue>106</Blue>
2477     </Entries>
2478     <Entries xsi:type="attribute:ColorDefinition">
2479       <Transparency>255</Transparency>
2480       <Red>232</Red>
2481       <Green>172</Green>
2482       <Blue>57</Blue>
2483     </Entries>
2484     <Entries xsi:type="attribute:ColorDefinition">
2485       <Transparency>255</Transparency>
2486       <Red>128</Red>

```

```
2487         <Green>255</Green>
2488         <Blue>128</Blue>
2489     </Entries>
2490     <Entries xsi:type="attribute:ColorDefinition">
2491         <Transparency>255</Transparency>
2492         <Red>64</Red>
2493         <Green>128</Green>
2494         <Blue>128</Blue>
2495     </Entries>
2496     <Entries xsi:type="attribute:ColorDefinition">
2497         <Transparency>255</Transparency>
2498         <Red>128</Red>
2499         <Green>128</Green>
2500         <Blue>192</Blue>
2501     </Entries>
2502     <Entries xsi:type="attribute:ColorDefinition">
2503         <Transparency>255</Transparency>
2504         <Red>170</Red>
2505         <Green>85</Green>
2506         <Blue>85</Blue>
2507     </Entries>
2508     <Entries xsi:type="attribute:ColorDefinition">
2509         <Transparency>255</Transparency>
2510         <Red>128</Red>
2511         <Green>128</Green>
2512         <Blue>0</Blue>
2513     </Entries>
2514     <Entries xsi:type="attribute:ColorDefinition">
2515         <Transparency>255</Transparency>
2516         <Red>192</Red>
2517         <Green>192</Green>
2518         <Blue>192</Blue>
2519     </Entries>
2520     <Entries xsi:type="attribute:ColorDefinition">
2521         <Transparency>255</Transparency>
2522         <Red>255</Red>
2523         <Green>255</Green>
2524         <Blue>128</Blue>
2525     </Entries>
2526     <Entries xsi:type="attribute:ColorDefinition">
2527         <Transparency>255</Transparency>
2528         <Red>128</Red>
2529         <Green>192</Green>
2530         <Blue>128</Blue>
2531     </Entries>
2532     <Entries xsi:type="attribute:ColorDefinition">
2533         <Transparency>255</Transparency>
2534         <Red>7</Red>
2535         <Green>146</Green>
2536         <Blue>94</Blue>
2537     </Entries>
2538     <Entries xsi:type="attribute:ColorDefinition">
2539         <Transparency>255</Transparency>
2540         <Red>0</Red>
2541         <Green>128</Green>
2542         <Blue>255</Blue>
2543     </Entries>
2544     <Entries xsi:type="attribute:ColorDefinition">
2545         <Transparency>255</Transparency>
2546         <Red>255</Red>
2547         <Green>128</Green>
2548         <Blue>192</Blue>
2549     </Entries>
2550     <Entries xsi:type="attribute:ColorDefinition">
2551         <Transparency>255</Transparency>
2552         <Red>0</Red>
2553         <Green>255</Green>
```

```
2554         <Blue>255</Blue>
2555     </Entries>
2556 <Entries xsi:type="attribute:ColorDefinition">
2557     <Transparency>255</Transparency>
2558     <Red>255</Red>
2559     <Green>128</Green>
2560     <Blue>128</Blue>
2561 </Entries>
2562 <Entries xsi:type="attribute:ColorDefinition">
2563     <Transparency>255</Transparency>
2564     <Red>0</Red>
2565     <Green>128</Green>
2566     <Blue>192</Blue>
2567 </Entries>
2568 <Entries xsi:type="attribute:ColorDefinition">
2569     <Transparency>255</Transparency>
2570     <Red>255</Red>
2571     <Green>0</Green>
2572     <Blue>255</Blue>
2573 </Entries>
2574 <Entries xsi:type="attribute:ColorDefinition">
2575     <Transparency>255</Transparency>
2576     <Red>128</Red>
2577     <Green>64</Green>
2578     <Blue>64</Blue>
2579 </Entries>
2580 <Entries xsi:type="attribute:ColorDefinition">
2581     <Transparency>255</Transparency>
2582     <Red>255</Red>
2583     <Green>128</Green>
2584     <Blue>64</Blue>
2585 </Entries>
2586 <Entries xsi:type="attribute:ColorDefinition">
2587     <Transparency>255</Transparency>
2588     <Red>80</Red>
2589     <Green>240</Green>
2590     <Blue>120</Blue>
2591 </Entries>
2592 <Entries xsi:type="attribute:ColorDefinition">
2593     <Transparency>255</Transparency>
2594     <Red>0</Red>
2595     <Green>64</Green>
2596     <Blue>128</Blue>
2597 </Entries>
2598 <Entries xsi:type="attribute:ColorDefinition">
2599     <Transparency>255</Transparency>
2600     <Red>128</Red>
2601     <Green>0</Green>
2602     <Blue>64</Blue>
2603 </Entries>
2604 <Entries xsi:type="attribute:ColorDefinition">
2605     <Transparency>255</Transparency>
2606     <Red>255</Red>
2607     <Green>0</Green>
2608     <Blue>128</Blue>
2609 </Entries>
2610 <Entries xsi:type="attribute:ColorDefinition">
2611     <Transparency>255</Transparency>
2612     <Red>128</Red>
2613     <Green>128</Green>
2614     <Blue>64</Blue>
2615 </Entries>
2616 <Entries xsi:type="attribute:ColorDefinition">
2617     <Transparency>255</Transparency>
2618     <Red>128</Red>
2619     <Green>128</Green>
2620     <Blue>128</Blue>
```



```
2621     </Entries>
2622     <Entries xsi:type="attribute:ColorDefinition">
2623       <Transparency>255</Transparency>
2624       <Red>255</Red>
2625       <Green>128</Green>
2626       <Blue>255</Blue>
2627     </Entries>
2628     <Entries xsi:type="attribute:ColorDefinition">
2629       <Transparency>255</Transparency>
2630       <Red>0</Red>
2631       <Green>64</Green>
2632       <Blue>0</Blue>
2633     </Entries>
2634     <Entries xsi:type="attribute:ColorDefinition">
2635       <Transparency>255</Transparency>
2636       <Red>0</Red>
2637       <Green>0</Green>
2638       <Blue>0</Blue>
2639     </Entries>
2640     <Entries xsi:type="attribute:ColorDefinition">
2641       <Transparency>255</Transparency>
2642       <Red>255</Red>
2643       <Green>255</Green>
2644       <Blue>255</Blue>
2645     </Entries>
2646     <Entries xsi:type="attribute:ColorDefinition">
2647       <Transparency>255</Transparency>
2648       <Red>255</Red>
2649       <Green>128</Green>
2650       <Blue>0</Blue>
2651     </Entries>
2652   </SeriesPalette>
2653   <Series xsi:type="type:BarSeries">
2654     <Visible>>true</Visible>
2655     <Label>
2656       <Caption>
2657         <Value></Value>
2658         <Font>
2659           <Alignment/>
2660         </Font>
2661       </Caption>
2662       <Background xsi:type="attribute:ColorDefinition">
2663         <Transparency>0</Transparency>
2664         <Red>255</Red>
2665         <Green>255</Green>
2666         <Blue>255</Blue>
2667       </Background>
2668       <Outline>
2669         <Style>Solid</Style>
2670         <Thickness>1</Thickness>
2671         <Color>
2672           <Transparency>255</Transparency>
2673           <Red>0</Red>
2674           <Green>0</Green>
2675           <Blue>0</Blue>
2676         </Color>
2677         <Visible>>false</Visible>
2678       </Outline>
2679       <Insets>
2680         <Top>0.0</Top>
2681         <Left>2.0</Left>
2682         <Bottom>0.0</Bottom>
2683         <Right>3.0</Right>
2684       </Insets>
2685       <Visible>>true</Visible>
2686     </Label>
2687     <DataDefinition>
```

```
2688     <Definition>data [ &quot;KeySummary/Key&quot; ; ] </Definition>
2689     <Grouping>
2690         <GroupType>Text</GroupType>
2691         <AggregateExpression>Sum</AggregateExpression>
2692     </Grouping>
2693 </DataDefinition>
2694 <SeriesIdentifier>Series 1</SeriesIdentifier>
2695 <DataPoint>
2696     <Components>
2697         <Type>Orthogonal_Value</Type>
2698     </Components>
2699     <Separator>, </Separator>
2700 </DataPoint>
2701 <LabelPosition>Outside</LabelPosition>
2702 <Stacked>>false</Stacked>
2703 <Triggers>
2704     <Condition>onmouseover</Condition>
2705     <Action>
2706         <Type>Show_Tooltip</Type>
2707         <Value xsi:type="attribute:TooltipValue">
2708             <Text></Text>
2709             <Delay>200</Delay>
2710         </Value>
2711     </Action>
2712 </Triggers>
2713 <Riser>Rectangle</Riser>
2714 </Series>
2715 <Grouping>
2716     <GroupType>Text</GroupType>
2717     <AggregateExpression>Sum</AggregateExpression>
2718 </Grouping>
2719 </SeriesDefinitions>
2720 <Orientation>Vertical</Orientation>
2721 <LineAttributes>
2722     <Style>Solid</Style>
2723     <Thickness>1</Thickness>
2724     <Color>
2725         <Transparency>255</Transparency>
2726         <Red>0</Red>
2727         <Green>0</Green>
2728         <Blue>0</Blue>
2729     </Color>
2730     <Visible>>true</Visible>
2731 </LineAttributes>
2732 <Label>
2733     <Caption>
2734         <Value></Value>
2735         <Font>
2736             <Alignment/>
2737         </Font>
2738     </Caption>
2739     <Background xsi:type="attribute:ColorDefinition">
2740         <Transparency>0</Transparency>
2741         <Red>255</Red>
2742         <Green>255</Green>
2743         <Blue>255</Blue>
2744     </Background>
2745     <Outline>
2746         <Style>Solid</Style>
2747         <Thickness>1</Thickness>
2748         <Color>
2749             <Transparency>255</Transparency>
2750             <Red>0</Red>
2751             <Green>0</Green>
2752             <Blue>0</Blue>
2753         </Color>
2754     </Outline>
```

```
2755     <Insets>
2756         <Top>0.0</Top>
2757         <Left>2.0</Left>
2758         <Bottom>0.0</Bottom>
2759         <Right>3.0</Right>
2760     </Insets>
2761     <Visible>true</Visible>
2762 </Label>
2763 <LabelPosition>Left</LabelPosition>
2764 <MajorGrid>
2765     <LineAttributes>
2766         <Style>Solid</Style>
2767         <Thickness>1</Thickness>
2768         <Color>
2769             <Transparency>255</Transparency>
2770             <Red>196</Red>
2771             <Green>196</Green>
2772             <Blue>196</Blue>
2773         </Color>
2774         <Visible>>false</Visible>
2775     </LineAttributes>
2776     <TickStyle>Across</TickStyle>
2777     <TickAttributes>
2778         <Style>Solid</Style>
2779         <Thickness>1</Thickness>
2780         <Color>
2781             <Transparency>255</Transparency>
2782             <Red>196</Red>
2783             <Green>196</Green>
2784             <Blue>196</Blue>
2785         </Color>
2786         <Visible>true</Visible>
2787     </TickAttributes>
2788 </MajorGrid>
2789 <MinorGrid>
2790     <LineAttributes>
2791         <Style>Solid</Style>
2792         <Thickness>1</Thickness>
2793         <Color>
2794             <Transparency>255</Transparency>
2795             <Red>225</Red>
2796             <Green>225</Green>
2797             <Blue>225</Blue>
2798         </Color>
2799         <Visible>>false</Visible>
2800     </LineAttributes>
2801     <TickStyle>Across</TickStyle>
2802     <TickAttributes>
2803         <Style>Solid</Style>
2804         <Thickness>1</Thickness>
2805         <Color>
2806             <Transparency>255</Transparency>
2807             <Red>225</Red>
2808             <Green>225</Green>
2809             <Blue>225</Blue>
2810         </Color>
2811         <Visible>>false</Visible>
2812     </TickAttributes>
2813 </MinorGrid>
2814 <Scale>
2815     <MinorGridsPerUnit>5</MinorGridsPerUnit>
2816 </Scale>
2817 <Origin>
2818     <Type>Value</Type>
2819     <Value xsi:type="data:NumberDataElement">
2820         <Value>0.0</Value>
2821     </Value>
```

```
2822     </Origin>
2823     <PrimaryAxis>true</PrimaryAxis>
2824     <Percent>>false</Percent>
2825 </AssociatedAxes>
2826 <SeriesDefinitions>
2827     <Query>
2828         <Definition></Definition>
2829     </Query>
2830 <SeriesPalette>
2831     <Entries xsi:type="attribute:ColorDefinition">
2832         <Transparency>255</Transparency>
2833         <Red>80</Red>
2834         <Green>166</Green>
2835         <Blue>218</Blue>
2836     </Entries>
2837 <Entries xsi:type="attribute:ColorDefinition">
2838     <Transparency>255</Transparency>
2839     <Red>242</Red>
2840     <Green>88</Green>
2841     <Blue>106</Blue>
2842 </Entries>
2843 <Entries xsi:type="attribute:ColorDefinition">
2844     <Transparency>255</Transparency>
2845     <Red>232</Red>
2846     <Green>172</Green>
2847     <Blue>57</Blue>
2848 </Entries>
2849 <Entries xsi:type="attribute:ColorDefinition">
2850     <Transparency>255</Transparency>
2851     <Red>128</Red>
2852     <Green>255</Green>
2853     <Blue>128</Blue>
2854 </Entries>
2855 <Entries xsi:type="attribute:ColorDefinition">
2856     <Transparency>255</Transparency>
2857     <Red>64</Red>
2858     <Green>128</Green>
2859     <Blue>128</Blue>
2860 </Entries>
2861 <Entries xsi:type="attribute:ColorDefinition">
2862     <Transparency>255</Transparency>
2863     <Red>128</Red>
2864     <Green>128</Green>
2865     <Blue>192</Blue>
2866 </Entries>
2867 <Entries xsi:type="attribute:ColorDefinition">
2868     <Transparency>255</Transparency>
2869     <Red>170</Red>
2870     <Green>85</Green>
2871     <Blue>85</Blue>
2872 </Entries>
2873 <Entries xsi:type="attribute:ColorDefinition">
2874     <Transparency>255</Transparency>
2875     <Red>128</Red>
2876     <Green>128</Green>
2877     <Blue>0</Blue>
2878 </Entries>
2879 <Entries xsi:type="attribute:ColorDefinition">
2880     <Transparency>255</Transparency>
2881     <Red>192</Red>
2882     <Green>192</Green>
2883     <Blue>192</Blue>
2884 </Entries>
2885 <Entries xsi:type="attribute:ColorDefinition">
2886     <Transparency>255</Transparency>
2887     <Red>255</Red>
2888     <Green>255</Green>
```

```
2889     <Blue>128</Blue>
2890 </Entries>
2891 <Entries xsi:type="attribute:ColorDefinition">
2892     <Transparency>255</Transparency>
2893     <Red>128</Red>
2894     <Green>192</Green>
2895     <Blue>128</Blue>
2896 </Entries>
2897 <Entries xsi:type="attribute:ColorDefinition">
2898     <Transparency>255</Transparency>
2899     <Red>7</Red>
2900     <Green>146</Green>
2901     <Blue>94</Blue>
2902 </Entries>
2903 <Entries xsi:type="attribute:ColorDefinition">
2904     <Transparency>255</Transparency>
2905     <Red>0</Red>
2906     <Green>128</Green>
2907     <Blue>255</Blue>
2908 </Entries>
2909 <Entries xsi:type="attribute:ColorDefinition">
2910     <Transparency>255</Transparency>
2911     <Red>255</Red>
2912     <Green>128</Green>
2913     <Blue>192</Blue>
2914 </Entries>
2915 <Entries xsi:type="attribute:ColorDefinition">
2916     <Transparency>255</Transparency>
2917     <Red>0</Red>
2918     <Green>255</Green>
2919     <Blue>255</Blue>
2920 </Entries>
2921 <Entries xsi:type="attribute:ColorDefinition">
2922     <Transparency>255</Transparency>
2923     <Red>255</Red>
2924     <Green>128</Green>
2925     <Blue>128</Blue>
2926 </Entries>
2927 <Entries xsi:type="attribute:ColorDefinition">
2928     <Transparency>255</Transparency>
2929     <Red>0</Red>
2930     <Green>128</Green>
2931     <Blue>192</Blue>
2932 </Entries>
2933 <Entries xsi:type="attribute:ColorDefinition">
2934     <Transparency>255</Transparency>
2935     <Red>255</Red>
2936     <Green>0</Green>
2937     <Blue>255</Blue>
2938 </Entries>
2939 <Entries xsi:type="attribute:ColorDefinition">
2940     <Transparency>255</Transparency>
2941     <Red>128</Red>
2942     <Green>64</Green>
2943     <Blue>64</Blue>
2944 </Entries>
2945 <Entries xsi:type="attribute:ColorDefinition">
2946     <Transparency>255</Transparency>
2947     <Red>255</Red>
2948     <Green>128</Green>
2949     <Blue>64</Blue>
2950 </Entries>
2951 <Entries xsi:type="attribute:ColorDefinition">
2952     <Transparency>255</Transparency>
2953     <Red>80</Red>
2954     <Green>240</Green>
2955     <Blue>120</Blue>
```

```
2956     </Entries>
2957     <Entries xsi:type="attribute:ColorDefinition">
2958         <Transparency>255</Transparency>
2959         <Red>0</Red>
2960         <Green>64</Green>
2961         <Blue>128</Blue>
2962     </Entries>
2963     <Entries xsi:type="attribute:ColorDefinition">
2964         <Transparency>255</Transparency>
2965         <Red>128</Red>
2966         <Green>0</Green>
2967         <Blue>64</Blue>
2968     </Entries>
2969     <Entries xsi:type="attribute:ColorDefinition">
2970         <Transparency>255</Transparency>
2971         <Red>255</Red>
2972         <Green>0</Green>
2973         <Blue>128</Blue>
2974     </Entries>
2975     <Entries xsi:type="attribute:ColorDefinition">
2976         <Transparency>255</Transparency>
2977         <Red>128</Red>
2978         <Green>128</Green>
2979         <Blue>64</Blue>
2980     </Entries>
2981     <Entries xsi:type="attribute:ColorDefinition">
2982         <Transparency>255</Transparency>
2983         <Red>128</Red>
2984         <Green>128</Green>
2985         <Blue>128</Blue>
2986     </Entries>
2987     <Entries xsi:type="attribute:ColorDefinition">
2988         <Transparency>255</Transparency>
2989         <Red>255</Red>
2990         <Green>128</Green>
2991         <Blue>255</Blue>
2992     </Entries>
2993     <Entries xsi:type="attribute:ColorDefinition">
2994         <Transparency>255</Transparency>
2995         <Red>0</Red>
2996         <Green>64</Green>
2997         <Blue>0</Blue>
2998     </Entries>
2999     <Entries xsi:type="attribute:ColorDefinition">
3000         <Transparency>255</Transparency>
3001         <Red>0</Red>
3002         <Green>0</Green>
3003         <Blue>0</Blue>
3004     </Entries>
3005     <Entries xsi:type="attribute:ColorDefinition">
3006         <Transparency>255</Transparency>
3007         <Red>255</Red>
3008         <Green>255</Green>
3009         <Blue>255</Blue>
3010     </Entries>
3011     <Entries xsi:type="attribute:ColorDefinition">
3012         <Transparency>255</Transparency>
3013         <Red>255</Red>
3014         <Green>128</Green>
3015         <Blue>0</Blue>
3016     </Entries>
3017 </SeriesPalette>
3018 <Series>
3019     <Visible>true</Visible>
3020     <Label>
3021         <Caption>
3022             <Value></Value>
```

```

3023         <Font>
3024             <Alignment/>
3025         </Font>
3026     </Caption>
3027     <Background xsi:type="attribute:ColorDefinition">
3028         <Transparency>0</Transparency>
3029         <Red>255</Red>
3030         <Green>255</Green>
3031         <Blue>255</Blue>
3032     </Background>
3033     <Outline>
3034         <Style>Solid</Style>
3035         <Thickness>1</Thickness>
3036         <Color>
3037             <Transparency>255</Transparency>
3038             <Red>0</Red>
3039             <Green>0</Green>
3040             <Blue>0</Blue>
3041         </Color>
3042         <Visible>>false</Visible>
3043     </Outline>
3044     <Insets>
3045         <Top>0.0</Top>
3046         <Left>2.0</Left>
3047         <Bottom>0.0</Bottom>
3048         <Right>3.0</Right>
3049     </Insets>
3050     <Visible>>false</Visible>
3051 </Label>
3052 <DataDefinition>
3053     <Definition>data[&quot;DocTypeGroup/Type&quot;]</Definition>
3054 </DataDefinition>
3055 <SeriesIdentifier></SeriesIdentifier>
3056 <DataPoint>
3057     <Components>
3058         <Type>Orthogonal_Value</Type>
3059     </Components>
3060     <Separator>, </Separator>
3061 </DataPoint>
3062 <LabelPosition>Outside</LabelPosition>
3063 <Stacked>>false</Stacked>
3064 </Series>
3065 <Grouping>
3066     <GroupType>Text</GroupType>
3067     <AggregateExpression>Sum</AggregateExpression>
3068 </Grouping>
3069 <Sorting>Ascending</Sorting>
3070 <SortKey>
3071     <Definition>data[&quot;StatusGroup/Status_Order&quot;]</Definition>
3072 </SortKey>
3073 <SortStrength>0</SortStrength>
3074 </SeriesDefinitions>
3075 <Orientation>Horizontal</Orientation>
3076 <LineAttributes>
3077     <Style>Solid</Style>
3078     <Thickness>1</Thickness>
3079     <Color>
3080         <Transparency>255</Transparency>
3081         <Red>0</Red>
3082         <Green>0</Green>
3083         <Blue>0</Blue>
3084     </Color>
3085     <Visible>>true</Visible>
3086 </LineAttributes>
3087 <Label>
3088     <Caption>
3089         <Value></Value>

```

```
3090         <Font>
3091         <Size>10.0</Size>
3092         <Alignment/>
3093     </Font>
3094 </Caption>
3095 <Background xsi:type="attribute:ColorDefinition">
3096     <Transparency>0</Transparency>
3097     <Red>255</Red>
3098     <Green>255</Green>
3099     <Blue>255</Blue>
3100 </Background>
3101 <Outline>
3102     <Style>Solid</Style>
3103     <Thickness>1</Thickness>
3104     <Color>
3105         <Transparency>255</Transparency>
3106         <Red>0</Red>
3107         <Green>0</Green>
3108         <Blue>0</Blue>
3109     </Color>
3110 </Outline>
3111 <Insets>
3112     <Top>0.0</Top>
3113     <Left>2.0</Left>
3114     <Bottom>0.0</Bottom>
3115     <Right>3.0</Right>
3116 </Insets>
3117 <Visible>true</Visible>
3118 </Label>
3119 <LabelPosition>Below</LabelPosition>
3120 <MajorGrid>
3121     <LineAttributes>
3122         <Style>Solid</Style>
3123         <Thickness>1</Thickness>
3124         <Color>
3125             <Transparency>255</Transparency>
3126             <Red>196</Red>
3127             <Green>196</Green>
3128             <Blue>196</Blue>
3129         </Color>
3130         <Visible>false</Visible>
3131     </LineAttributes>
3132     <TickStyle>Across</TickStyle>
3133     <TickAttributes>
3134         <Style>Solid</Style>
3135         <Thickness>1</Thickness>
3136         <Color>
3137             <Transparency>255</Transparency>
3138             <Red>196</Red>
3139             <Green>196</Green>
3140             <Blue>196</Blue>
3141         </Color>
3142         <Visible>true</Visible>
3143     </TickAttributes>
3144 </MajorGrid>
3145 <MinorGrid>
3146     <LineAttributes>
3147         <Style>Solid</Style>
3148         <Thickness>1</Thickness>
3149         <Color>
3150             <Transparency>255</Transparency>
3151             <Red>225</Red>
3152             <Green>225</Green>
3153             <Blue>225</Blue>
3154         </Color>
3155         <Visible>false</Visible>
3156     </LineAttributes>
```



```

3157     <TickStyle>Across</TickStyle>
3158     <TickAttributes>
3159         <Style>Solid</Style>
3160         <Thickness>1</Thickness>
3161         <Color>
3162             <Transparency>255</Transparency>
3163             <Red>225</Red>
3164             <Green>225</Green>
3165             <Blue>225</Blue>
3166         </Color>
3167         <Visible>>false</Visible>
3168     </TickAttributes>
3169 </MinorGrid>
3170 <Scale>
3171     <MinorGridsPerUnit>5</MinorGridsPerUnit>
3172 </Scale>
3173 <Origin>
3174     <Type>Min</Type>
3175 </Origin>
3176 <PrimaryAxis>>true</PrimaryAxis>
3177 <CategoryAxis>>true</CategoryAxis>
3178 <Percent>>false</Percent>
3179 </Axes>
3180 <Orientation>Vertical</Orientation>
3181 <UnitSpacing>50.0</UnitSpacing>
3182 <Rotation>
3183     <Angles>
3184         <XAngle>-20.0</XAngle>
3185         <YAngle>45.0</YAngle>
3186         <ZAngle>0.0</ZAngle>
3187         <Type>None</Type>
3188     </Angles>
3189 </Rotation>
3190 </model:ChartWithAxes>
3191 ]]></xml-property>
3192     <property name="outputFormat">PNG</property>
3193     <property name="inheritColumns">>false</property>
3194     <property name="height">2in</property>
3195     <property name="width">90%</property>
3196     <list-property name="boundDataColumns">
3197         <structure>
3198             <property name="name">StatusGroup/Status_Order</property>
3199             <expression name="expression" type="javascript">
3200                 dimension["StatusGroup"] ["Status_Order"] ["DisplayName"]
3201             </expression>
3202             <property name="dataType">string</property>
3203         </structure>
3204         <structure>
3205             <property name="name">StatusGroup/Status</property>
3206             <expression name="expression" type="javascript">
3207                 dimension["StatusGroup"] ["Status"] ["DisplayName"]
3208             </expression>
3209             <property name="dataType">string</property>
3210         </structure>
3211         <structure>
3212             <property name="name">DateGroup/Year</property>
3213             <expression name="expression" type="javascript">
3214                 dimension["DateGroup"] ["Year"] ["DisplayName"]
3215             </expression>
3216             <property name="dataType">string</property>
3217         </structure>
3218         <structure>
3219             <property name="name">DateGroup/MonthOrder</property>
3220             <expression name="expression" type="javascript">
3221                 dimension["DateGroup"] ["MonthOrder"] ["DisplayName"]
3222             </expression>
3223             <property name="dataType">string</property>
3224         </structure>
3225     </list-property>

```

```

3216 </structure>
3217 <structure>
3218 <property name="name">DateGroup/Month</property>
3219 <expression name="expression" type="javascript">
dimension["DateGroup"] ["Month"] ["DisplayName"]
</expression>
3220 <property name="dataType">string</property>
3221 </structure>
3222 <structure>
3223 <property name="name">ProjectGroup/Project</property>
3224 <expression name="expression" type="javascript">
dimension["ProjectGroup"] ["Project"] ["DisplayName"]
</expression>
3225 <property name="dataType">string</property>
3226 </structure>
3227 <structure>
3228 <property name="name">DocTypeGroup/Type</property>
3229 <expression name="expression" type="javascript">
dimension["DocTypeGroup"] ["Type"]</expression>
3230 <property name="dataType">string</property>
3231 </structure>
3232 <structure>
3233 <property name="name">DocTypeGroup/TypeId</property>
3234 <expression name="expression" type="javascript">
dimension["DocTypeGroup"] ["TypeId"]</expression>
3235 <property name="dataType">integer</property>
3236 </structure>
3237 <structure>
3238 <property name="name">AssignedGroup/Assigned</property>
3239 <expression name="expression" type="javascript">
dimension["AssignedGroup"] ["Assigned"]</expression>
3240 <property name="dataType">string</property>
3241 </structure>
3242 <structure>
3243 <property name="name">KeySummary/Key</property>
3244 <text-property name="displayName">Key</text-property>
3245 <expression name="expression" type="javascript">
measure["Key"]</expression>
3246 <property name="dataType">integer</property>
3247 <property name="aggregateFunction">SUM</property>
3248 </structure>
3249 </list-property>
3250 </extended-item>
3251 </cell>
3252 </row>
3253 <row id="264">
3254 <cell id="265">
3255 <extended-item extensionName="Crosstab" extensionVersion="3.7.0" id=
"829">
3256 <property name="cube">WorkItemsDataCube</property>
3257 <property name="measures">
3258 <extended-item extensionName="MeasureView" id="850">
3259 <property name="measure">Key</property>
3260 <property name="detail">
3261 <extended-item extensionName="AggregationCell" id=
"851">
3262 <property name="aggregationOnRow">
AssignedGroup/Assigned</property>
3263 <property name="aggregationOnColumn">
StatusGroup/Status</property>
3264 <property name="spanOverOnRow">
AssignedGroup/Assigned</property>
3265 <property name="paddingTop">0pt</property>
3266 <property name="paddingBottom">0pt</property>
3267 <property name="height">30pt</property>
3268 <property name="width">80pt</property>
3269 <property name="content">

```

3270

```
<extended-item extensionName="Chart" name="Chart" id="1986">
```

3271

```
<xml-property name="xmlRepresentation">
<![CDATA[<model:ChartWithAxes
xmlns:xsi="
http://www.w3.org/2001/XMLSchema-instance
" xmlns:attribute="
http://www.birt.eclipse.org/ChartModelAttribute" xmlns:layout="
http://www.birt.eclipse.org/ChartModelLayout" xmlns:model="
http://www.birt.eclipse.org/ChartModel"
xmlns:type="
http://www.birt.eclipse.org/ChartModelType">
```

3272

```
<Type>Bar Chart</Type>
```

3273

```
<SubType>Side-by-side</SubType>
```

3274

```
<Block>
```

3275

```
<Children xsi:type="layout:TitleBlock">
```

3276

```
<Bounds/>
```

3277

```
<Insets/>
```

3278

```
<Outline/>
```

3279

```
<Visible>>false</Visible>
```

3280

```
<Label>
```

3281

```
<Caption>
```

3282

```
<Font>
```

3283

```
<Alignment/>
```

3284

```
</Font>
```

3285

```
</Caption>
```

3286

```
<Outline/>
```

3287

```
<Insets/>
```

3288

```
</Label>
```

3289

```
</Children>
```

3290

```
<Children xsi:type="layout:Plot">
```

3291

```
<Bounds/>
```

3292

```
<Insets/>
```

3293

```
<Outline/>
```

3294

```
<ClientArea>
```

3295

```
<Outline/>
```

3296

```
<Insets/>
```

3297

```
</ClientArea>
```

3298

```
</Children>
```

3299

```
<Children xsi:type="layout:Legend">
```

3300

```
<Bounds/>
```

3301

```
<Insets/>
```

3302

```
<Outline/>
```

3303

```
<Visible>>false</Visible>
```

3304

```
<ClientArea>
```

3305

```
<Outline/>
```

3306

```
<Insets/>
```

3307

```
</ClientArea>
```

3308

```
<Text>
```

3309

```
<Font>
```

3310

```
<Alignment/>
```

3311

```
</Font>
```

3312

```
</Text>
```

3313

```
<Separator/>
```

3314

```
<Title>
```

3315

```
<Caption>
```

3316

```
<Font>
```

3317

```
<Alignment/>
```

3318

```
</Font>
```

3319

```
</Caption>
```

3320

```
<Outline/>
```

3321

```
<Insets/>
```

3322

```
</Title>
```

3323

```
</Children>
```

```
3324     <Bounds>
3325         <Left>0.0</Left>
3326         <Top>0.0</Top>
3327         <Width>80.0</Width>
3328         <Height>30.0</Height>
3329     </Bounds>
3330     <Insets/>
3331     <Outline/>
3332 </Block>
3333 <Units>Points</Units>
3334 <ExtendedProperties>
3335     <Name>enable.area.alt</Name>
3336     <Value>>false</Value>
3337 </ExtendedProperties>
3338 <SampleData>
3339     <BaseSampleData>
3340         <DataSetRepresentation>'A','B','C','D','E'</DataSetRepresentation>
3341     </BaseSampleData>
3342     <OrthogonalSampleData>
3343         <DataSetRepresentation>6,4,12,8,10</DataSetRepresentation>
3344         <SeriesDefinitionIndex>0</SeriesDefinitionIndex>
3345     </OrthogonalSampleData>
3346 </SampleData>
3347 <Interactivity/>
3348 <EmptyMessage>
3349     <Caption>
3350         <Value>This chart contains no data.</Value>
3351         <Font>
3352             <Alignment/>
3353         </Font>
3354     </Caption>
3355     <Background xsi:type="attribute:ColorDefinition">
3356         <Transparency>64</Transparency>
3357         <Red>127</Red>
3358         <Green>127</Green>
3359         <Blue>127</Blue>
3360     </Background>
3361     <Outline>
3362         <Color>
3363             <Transparency>128</Transparency>
3364             <Red>127</Red>
3365             <Green>127</Green>
3366             <Blue>127</Blue>
3367         </Color>
3368     </Outline>
3369 </EmptyMessage>
3370 <Axes>
3371     <Title>
3372         <Caption>
3373             <Font>
3374                 <Alignment/>
3375             </Font>
3376         </Caption>
3377         <Outline/>
3378         <Insets/>
3379     </Title>
3380     <AssociatedAxes>
3381         <Title>
3382             <Caption>
3383                 <Font>
3384                     <Alignment/>
3385                 </Font>
3386             </Caption>
3387             <Outline/>
3388             <Insets/>
3389         </Title>
```

```

3391     <SeriesDefinitions>
3392         <Query>
3393             <Definition></Definition>
3394         </Query>
3395         <SeriesPalette/>
3396         <Series xsi:type="type:BarSeries">
3397             <Label>
3398                 <Caption>
3399                     <Font>
3400                         <Alignment/>
3401                     </Font>
3402                 </Caption>
3403                 <Outline/>
3404                 <Insets/>
3405             </Label>
3406             <DataDefinition>
3407
3408                 <Definition>data[&quot;Key_AssignedGroup/Assigned_StatusGroup/Status&quot;]</
3409                 Definition>
3410             </DataDefinition>
3411             <SeriesIdentifier></SeriesIdentifier>
3412             <DataPoint/>
3413         </Series>
3414         <Grouping>
3415             <GroupType>Text</GroupType>
3416             <AggregateExpression>Sum</AggregateExpression>
3417         </Grouping>
3418     </SeriesDefinitions>
3419     <LineAttributes/>
3420     <Label>
3421         <Caption>
3422             <Font>
3423                 <Alignment/>
3424             </Font>
3425         </Caption>
3426         <Outline/>
3427         <Insets/>
3428     </Label>
3429     <MajorGrid>
3430         <LineAttributes/>
3431         <TickAttributes/>
3432     </MajorGrid>
3433     <MinorGrid>
3434         <LineAttributes/>
3435         <TickAttributes/>
3436     </MinorGrid>
3437     <Scale/>
3438     <Origin/>
3439     <PrimaryAxis>true</PrimaryAxis>
3440 </AssociatedAxes>
3441 <SeriesDefinitions>
3442     <Query>
3443         <Definition></Definition>
3444     </Query>
3445     <SeriesPalette/>
3446     <Series>
3447         <Label>
3448             <Caption>
3449                 <Font>
3450                     <Alignment/>
3451                 </Font>
3452             </Caption>
3453             <Outline/>
3454             <Insets/>
3455         </Label>
3456         <DataDefinition>
3457             <Definition>data[&quot;Assigned&quot;]</Definition>

```

```

3456     </DataDefinition>
3457     <SeriesIdentifier></SeriesIdentifier>
3458     <DataPoint/>
3459 </Series>
3460 <Grouping>
3461     <GroupType>Text</GroupType>
3462     <AggregateExpression>Sum</AggregateExpression>
3463 </Grouping>
3464 </SeriesDefinitions>
3465 <LineAttributes/>
3466 <Label>
3467     <Caption>
3468         <Font>
3469             <Alignment/>
3470         </Font>
3471     </Caption>
3472     <Outline/>
3473     <Insets/>
3474 </Label>
3475 <MajorGrid>
3476     <LineAttributes/>
3477     <TickAttributes/>
3478 </MajorGrid>
3479 <MinorGrid>
3480     <LineAttributes/>
3481     <TickAttributes/>
3482 </MinorGrid>
3483 <Scale/>
3484 <Origin/>
3485 <CategoryAxis>true</CategoryAxis>
3486 </Axes>
3487 <Orientation>Horizontal</Orientation>
3488 <UnitSpacing>50.0</UnitSpacing>
3489 <Rotation>
3490     <Angles/>
3491 </Rotation>
3492 <ReverseCategory>true</ReverseCategory>
3493 </model:ChartWithAxes>
3494 ]]></xml-property>
3495
3496     <property name="chartType">plotChart
3497     </property>
3498     <property name="height">30pt</property>
3499     <property name="width">80pt</property>
3500 </extended-item>
3501 </property>
3502 </extended-item>
3503 </property>
3504 <property name="aggregations">
3505     <extended-item extensionName="AggregationCell" id=
3506     "861">
3507         <property name="aggregationOnRow">
3508             AssignedGroup/Assigned</property>
3509         <property name="paddingTop">0pt</property>
3510         <property name="paddingBottom">0pt</property>
3511         <property name="content">
3512             <data id="862">
3513                 <property name="textAlign">center
3514                 </property>
3515                 <property name="resultSetColumn">
3516                     Key_AssignedGroup/Assigned</property>
3517             </data>
3518         </property>
3519     </extended-item>
3520 </extended-item extensionName="AggregationCell" id=
3521 "867">
3522     <property name="content">
3523         <data id="868">

```



```

3565         Assigned</property>
3566     </data>
3567     </property>
3568     <property name="paddingTop">0pt
3569     </property>
3570     <property name="paddingBottom">
3571     0pt</property>
3572     </extended-item>
3573     </property>
3574     </extended-item>
3575     </property>
3576     <property name="grandTotalLocation">after</property>
3577     </extended-item>
3578     </property>
3579     <property name="columns">
3580     <extended-item extensionName="CrosstabView" id="840">
3581     <property name="grandTotal">
3582     <extended-item extensionName="CrosstabCell" id="860">
3583     <property name="content">
3584     <label id="865">
3585     <property name="textAlign">center
3586     </property>
3587     <text-property name="text">Grand Total
3588     </text-property>
3589     </label>
3590     </property>
3591     </extended-item>
3592     </property>
3593     <property name="views">
3594     <extended-item extensionName="DimensionView" id=
3595     "841">
3596     <property name="dimension">StatusGroup</property>
3597     <property name="levels">
3598     <extended-item extensionName="LevelView"
3599     name="NewLevel View17" id="842">
3600     <property name="level">
3601     StatusGroup/Status_Order</property>
3602     <property name="member">
3603     <extended-item extensionName=
3604     "CrosstabCell" id="843">
3605     <property name="content">
3606     <data name="Status_Order3"
3607     id="844">
3608     <property name=
3609     "textAlign">center
3610     </property>
3611     <property name=
3612     "resultSetColumn">
3613     Status_Order</property>

```



```

3614         "textAlign">center
3615     </property>
3616     <property name=
3617         "resultSetColumn">Status
3618     </property>
3619 </data>
3620 </property>
3621 </extended-item>
3622 </property>
3623 </extended-item>
3624 </property>
3625 </extended-item>
3626 </property>
3627 <property name="header">
3628     <extended-item extensionName="CrosstabCell" id="847">
3629         <property name="content">
3630             <label id="849">
3631                 <text-property name="text">Status_Order
3632             </text-property>
3633         </label>
3634     </property>
3635 </extended-item>
3636 <extended-item extensionName="CrosstabCell" id="855">
3637     <property name="content">
3638         <label id="856">
3639             <text-property name="text">Status</text-property>
3640         </label>
3641     </property>
3642 </extended-item>
3643 <extended-item extensionName="CrosstabCell" id="830">
3644     <property name="content">
3645         <label id="839">
3646             <text-property name="text">Assigned
3647         </text-property>
3648         </label>
3649     </property>
3650 </extended-item>
3651 </property>
3652 <list-property name="boundDataColumns">
3653     <structure>
3654         <property name="name">Assigned</property>
3655         <expression name="expression">
3656             dimension["AssignedGroup"] ["Assigned"]</expression>
3657         <property name="dataType">string</property>
3658     </structure>
3659     <structure>
3660         <property name="name">Status_Order</property>
3661         <expression name="expression">
3662             dimension["StatusGroup"] ["Status_Order"] ["DisplayName"]
3663         </expression>
3664         <property name="dataType">string</property>
3665     </structure>
3666     <structure>
3667         <property name="name">Status</property>
3668         <expression name="expression">
3669             dimension["StatusGroup"] ["Status"] ["DisplayName"]
3670         </expression>
3671         <property name="dataType">string</property>
3672     </structure>
3673     <structure>
3674         <property name="name">
3675             Key_AssignedGroup/Assigned_StatusGroup/Status</property>
3676         <expression name="expression">measure["Key"]</expression>
3677         <property name="dataType">integer</property>

```

```

3669         <simple-property-list name="aggregateOn">
3670             <value>AssignedGroup/Assigned</value>
3671             <value>StatusGroup/Status</value>
3672         </simple-property-list>
3673         <property name="aggregateFunction">SUM</property>
3674     </structure>
3675 </structure>
3676     <property name="name">Key_AssignedGroup/Assigned
3677     </property>
3678     <expression name="expression">measure ["Key"]</expression>
3679     <property name="dataType">float</property>
3680     <simple-property-list name="aggregateOn">
3681         <value>AssignedGroup/Assigned</value>
3682     </simple-property-list>
3683     <property name="aggregateFunction">SUM</property>
3684 </structure>
3685 <structure>
3686     <property name="name">Key</property>
3687     <expression name="expression">measure ["Key"]</expression>
3688     <property name="dataType">float</property>
3689     <property name="aggregateFunction">SUM</property>
3690 </structure>
3691 <structure>
3692     <property name="name">Key_StatusGroup/Status</property>
3693     <expression name="expression">measure ["Key"]</expression>
3694     <property name="dataType">float</property>
3695     <simple-property-list name="aggregateOn">
3696         <value>StatusGroup/Status</value>
3697     </simple-property-list>
3698     <property name="aggregateFunction">SUM</property>
3699 </structure>
3700 </list-property>
3701 </extended-item>
3702 </cell>
3703 </row>
3704 <row id="698">
3705     <cell id="699">
3706         <label id="353">
3707             <property name="fontWeight">bold</property>
3708             <property name="color">blue</property>
3709             <property name="paddingTop">5pt</property>
3710             <property name="paddingBottom">5pt</property>
3711             <property name="masterPage">NewSimpleMasterPage</property>
3712             <property name="pageBreakAfter">always</property>
3713             <text-property name="text">(cont. on next page)</text-property>
3714         </label>
3715     </cell>
3716 </row>
3717 </grid>
3718 <grid name="Kanban - Work Items" id="1060">
3719     <column id="1061"/>
3720     <row id="1062">
3721         <cell id="1063">
3722             <label id="1307">
3723                 <property name="fontSize">12pt</property>
3724                 <property name="fontWeight">bold</property>
3725                 <text-property name="text">Kanban - Work and Tracking Items
3726             </text-property>
3727             </label>
3728         </cell>
3729     </row>
3730     <row id="1064">
3731         <cell id="1065">
3732             <grid id="1308">
3733                 <column id="1975">
3734                     <property name="width">25%</property>
3735                 </column>

```

```

3734 <column id="1309">
3735     <property name="width">25%</property>
3736 </column>
3737 <column id="1310">
3738     <property name="width">25%</property>
3739 </column>
3740 <column id="1311">
3741     <property name="width">25%</property>
3742 </column>
3743 <row id="1312">
3744     <cell id="1973">
3745         <label id="1976">
3746             <property name="fontWeight">bold</property>
3747             <property name="textAlign">center</property>
3748             <text-property name="text">Backlog</text-property>
3749         </label>
3750     </cell>
3751     <cell id="1313">
3752         <label id="1373">
3753             <property name="fontWeight">bold</property>
3754             <property name="textAlign">center</property>
3755             <text-property name="text">Assigned</text-property>
3756         </label>
3757     </cell>
3758     <cell id="1314">
3759         <label id="1419">
3760             <property name="fontWeight">bold</property>
3761             <property name="textAlign">center</property>
3762             <text-property name="text">Working</text-property>
3763         </label>
3764     </cell>
3765     <cell id="1315">
3766         <label id="1423">
3767             <property name="fontWeight">bold</property>
3768             <property name="textAlign">center</property>
3769             <text-property name="text">Complete</text-property>
3770         </label>
3771     </cell>
3772 </row>
3773 <row id="1316">
3774     <cell id="1974">
3775         <table id="1977">
3776             <property name="dataSet">WorkItemsDataSet</property>
3777             <list-property name="boundDataColumns">
3778                 <structure>
3779                     <property name="name">Priority_Order
3780                     </property>
3781                     <text-property name="displayName">
3782                         Priority_Order</text-property>
3783                     <expression name="expression" type=
3784                         "javascript">dataSetRow["Priority_Order"]
3785                     </expression>
3786                     <property name="dataType">integer</property>
3787                 </structure>
3788                 <structure>
3789                     <property name="name">Name</property>
3790                     <text-property name="displayName">Name
3791                     </text-property>
3792                     <expression name="expression" type=
3793                         "javascript">dataSetRow["Name"]</expression>
3794                     <property name="dataType">string</property>
3795                 </structure>
3796                 <structure>
3797                     <property name="name">Project</property>
3798                     <text-property name="displayName">Project
3799                     </text-property>
3800                     <expression name="expression" type=

```

```
3794     "javascript">dataSetRow["Project"]
3795     </expression>
3796     <property name="dataType">string</property>
3797 </structure>
3798 <structure>
3799     <property name="name">pId</property>
3800     <text-property name="displayName">pId
3801     </text-property>
3802     <expression name="expression" type=
3803     "javascript">dataSetRow["pId"]</expression>
3804     <property name="dataType">string</property>
3805 </structure>
3806 <structure>
3807     <property name="name">dtfdId</property>
3808     <text-property name="displayName">dtfdId
3809     </text-property>
3810     <expression name="expression" type=
3811     "javascript">dataSetRow["dtfdId"]
3812     </expression>
3813     <property name="dataType">string</property>
3814 </structure>
3815 <structure>
3816     <property name="name">Status</property>
3817     <text-property name="displayName">Status
3818     </text-property>
3819     <expression name="expression" type=
3820     "javascript">dataSetRow["Status"]
3821     </expression>
3822     <property name="dataType">string</property>
3823 </structure>
3824 <structure>
3825     <property name="name">Status_Order</property>
3826     <text-property name="displayName">
3827     Status_Order</text-property>
3828     <expression name="expression" type=
3829     "javascript">dataSetRow["Status_Order"]
3830     </expression>
3831     <property name="dataType">integer</property>
3832 </structure>
3833 <structure>
3834     <property name="name">Status_Color</property>
3835     <text-property name="displayName">
3836     Status_Color</text-property>
3837     <expression name="expression" type=
3838     "javascript">dataSetRow["Status_Color"]
3839     </expression>
3840     <property name="dataType">string</property>
3841 </structure>
3842 <structure>
3843     <property name="name">Priority</property>
3844     <text-property name="displayName">Priority
3845     </text-property>
3846     <expression name="expression" type=
3847     "javascript">dataSetRow["Priority"]
3848     </expression>
3849     <property name="dataType">string</property>
3850 </structure>
3851 <structure>
3852     <property name="name">Priority_Color</property>
3853     <text-property name="displayName">
3854     Priority_Color</text-property>
3855     <expression name="expression" type=
3856     "javascript">dataSetRow["Priority_Color"]
3857     </expression>
3858     <property name="dataType">string</property>
3859 </structure>
```

```
3838 <structure>
3839   <property name="name">Key</property>
3840   <text-property name="displayName">Key
3841   </text-property>
3842   <expression name="expression" type=
3843     "javascript">dataSetRow["Key"]</expression>
3844   <property name="dataType">string</property>
3845 </structure>
3846 <structure>
3847   <property name="name">dId</property>
3848   <text-property name="displayName">dId
3849   </text-property>
3850   <expression name="expression" type=
3851     "javascript">dataSetRow["dId"]</expression>
3852   <property name="dataType">string</property>
3853 </structure>
3854 <structure>
3855   <property name="name">TypeId</property>
3856   <text-property name="displayName">TypeId
3857   </text-property>
3858   <expression name="expression" type=
3859     "javascript">dataSetRow["TypeId"]
3860   </expression>
3861   <property name="dataType">integer</property>
3862 </structure>
3863 <structure>
3864   <property name="name">Assigned</property>
3865   <text-property name="displayName">Assigned
3866   </text-property>
3867   <expression name="expression" type=
3868     "javascript">dataSetRow["Assigned"]
3869   </expression>
3870   <property name="dataType">string</property>
3871 </structure>
3872 <structure>
3873   <property name="name">Year</property>
3874   <text-property name="displayName">Year
3875   </text-property>
3876   <expression name="expression" type=
3877     "javascript">dataSetRow["Year"]</expression>
3878   <property name="dataType">integer</property>
3879 </structure>
3880 <structure>
3881   <property name="name">MonthNumber</property>
3882   <text-property name="displayName">
3883     MonthNumber</text-property>
3884   <expression name="expression" type=
3885     "javascript">dataSetRow["MonthNumber"]
3886   </expression>
3887   <property name="dataType">integer</property>
3888 </structure>
3889 <structure>
3890   <property name="name">Month</property>
3891   <text-property name="displayName">Month
3892   </text-property>
3893   <expression name="expression" type=
3894     "javascript">dataSetRow["Month"]</expression>
3895   <property name="dataType">string</property>
3896 </structure>
3897 <structure>
3898   <property name="name">MonthOrder</property>
3899   <text-property name="displayName">MonthOrder
3900   </text-property>
3901   <expression name="expression" type=
3902     "javascript">dataSetRow["MonthOrder"]
3903   </expression>
3904   <property name="dataType">decimal</property>
3905 </structure>
```

```
3885 </structure>
3886 <structure>
3887   <property name="name">Created</property>
3888   <text-property name="displayName">Created
3889     </text-property>
3890   <expression name="expression" type=
3891     "javascript">dataSetRow["Created"]
3892   </expression>
3893   <property name="dataType">date-time
3894   </property>
3895 </structure>
3896 <structure>
3897   <property name="name">Age</property>
3898   <text-property name="displayName">Age
3899   </text-property>
3900   <expression name="expression" type=
3901     "javascript">dataSetRow["Age"]</expression>
3902   <property name="dataType">integer</property>
3903 </structure>
3904 <structure>
3905   <property name="name">Modified</property>
3906   <text-property name="displayName">Modified
3907   </text-property>
3908   <expression name="expression" type=
3909     "javascript">dataSetRow["Modified"]
3910   </expression>
3911   <property name="dataType">date-time
3912   </property>
3913 </structure>
3914 <structure>
3915   <property name="name">Doc_Date1</property>
3916   <text-property name="displayName">Doc_Date1
3917   </text-property>
3918   <expression name="expression" type=
3919     "javascript">dataSetRow["Doc_Date1"]
3920   </expression>
3921   <property name="dataType">date-time
3922   </property>
3923 </structure>
3924 <structure>
3925   <property name="name">Doc_Date2</property>
3926   <text-property name="displayName">Doc_Date2
3927   </text-property>
3928   <expression name="expression" type=
3929     "javascript">dataSetRow["Doc_Date2"]
3930   </expression>
3931   <property name="dataType">date-time
3932   </property>
3933 </structure>
3934 <structure>
3935   <property name="name">Doc_Date3</property>
3936   <text-property name="displayName">Doc_Date3
3937   </text-property>
3938   <expression name="expression" type=
3939     "javascript">dataSetRow["Doc_Date3"]
3940   </expression>
3941   <property name="dataType">date-time
3942   </property>
3943 </structure>
3944 <structure>
3945   <property name="name">Type</property>
3946   <text-property name="displayName">Type
3947   </text-property>
3948   <expression name="expression" type=
3949     "javascript">dataSetRow["Type"]</expression>
3950   <property name="dataType">string</property>
3951 </structure>
```

```

3928     </list-property>
3929     <list-property name="sort">
3930         <structure>
3931             <expression name="key" type="javascript">
3932                 row["Priority_Order"]</expression>
3933             <property name="direction">asc</property>
3934             <property name="strength">0</property>
3935         </structure>
3936     <structure>
3937         <expression name="key" type="javascript">
3938             row["Name"]</expression>
3939         <property name="direction">asc</property>
3940         <property name="strength">1</property>
3941     </structure>
3942 </list-property>
3943 <list-property name="filter">
3944     <structure>
3945         <property name="operator">is-true</property>
3946         <expression name="expr" type="javascript">
3947             (row["Status"]=="Unassigned" & &
3948             row["TypeId"]==288) ||
3949             (row["Status"]=="Open" & &
3950             row["TypeId"]==70)</expression>
3951         <property name="updateAggregation">true
3952         </property>
3953     </structure>
3954 </list-property>
3955 <column id="1981"/>
3956 <detail>
3957     <row id="1978">
3958         <cell id="1979">
3959             <text id="1980">
3960                 <property name="borderBottomStyle">
3961                     solid</property>
3962                 <property name="borderBottomWidth">
3963                     thin</property>
3964                 <property name="borderLeftStyle">
3965                     solid</property>
3966                 <property name="borderLeftWidth">
3967                     thin</property>
3968                 <property name="borderRightStyle">
3969                     solid</property>
3970                 <property name="borderRightWidth">
3971                     thin</property>
3972                 <property name="borderTopStyle">
3973                     solid</property>
3974                 <property name="borderTopWidth">thin
3975                 </property>
3976                 <property name="contentType">html
3977                 </property>
3978                 <text-property name="content">
3979                 <![CDATA[<table >
3980 <tr height="4px">
3981     <td width="4px"
3982     style="background-color:<VALUE-OF>"#">row["Status_Color"]</VALUE-OF>" >
3983 </td>
3984
3985     <td width="4px"
3986     style="background-color:<VALUE-OF>"#">row["Priority_Color"]</VALUE-OF>" >
3987 </td>
3988
3989     <td style="text-align:center;font-size:9px;font-wieght: bold">
3990         <VALUE-OF>row["Key"]</VALUE-OF>
3991     </td>
3992 </tr>

```

```

3976 <tr height="14px" style="text-align:center;font-size:12px;font-wieght: bold">
3977     <td colspan="3" >
3978         <VALUE-OF>row["Assigned"]</VALUE-OF>
3979     </td>
3980
3981 </tr>
3982
3983 <tr></tr>
3984
3985 <tr>
3986     <td colspan="3" style="text-align:center;font-size:14px;font-wieght: bold">
3987         <a href="https://jama.seicdevops.com/perspective.req?projectId=
3988             <VALUE-OF>row["pId"]+"&docId="+row["dId"]</VALUE-OF>" target="_blank">
3989             <VALUE-OF>row["Name"]</VALUE-OF>
3990         </a>
3991     </td>
3992 </tr>
3993 </table>]]></text-property>
3994
3995     </text>
3996 </cell>
3997 </row>
3998 </detail>
3999 </table>
4000 </cell>
4001 <cell id="1317">
4002     <table id="1478">
4003         <property name="dataSet">WorkItemsDataSet</property>
4004         <list-property name="boundDataColumns">
4005             <structure>
4006                 <property name="name">Priority_Order</property>
4007                 <text-property name="displayName">
4008                     Priority_Order</text-property>
4009                 <expression name="expression" type=
4010                     "javascript">dataSetRow["Priority_Order"]
4011                 </expression>
4012                 <property name="dataType">integer</property>
4013             </structure>
4014             <structure>
4015                 <property name="name">Name</property>
4016                 <text-property name="displayName">Name
4017                 </text-property>
4018                 <expression name="expression" type=
4019                     "javascript">dataSetRow["Name"]</expression>
4020                 <property name="dataType">string</property>
4021             </structure>
4022             <structure>
4023                 <property name="name">Project</property>
4024                 <text-property name="displayName">Project
4025                 </text-property>
4026                 <expression name="expression" type=
4027                     "javascript">dataSetRow["Project"]
4028                 </expression>
4029                 <property name="dataType">string</property>
4030             </structure>
4031             <structure>
4032                 <property name="name">pId</property>
4033                 <text-property name="displayName">pId
4034                 </text-property>
4035                 <expression name="expression" type=
4036                     "javascript">dataSetRow["pId"]</expression>
4037                 <property name="dataType">string</property>
4038             </structure>
4039             <structure>
4040                 <property name="name">dtfdId</property>
4041                 <text-property name="displayName">dtfdId

```



```
4031     </text-property>
         <expression name="expression" type=
           "javascript">dataSetRow["dtfdId"]
         </expression>
4032     <property name="dataType">string</property>
4033 </structure>
4034 <structure>
4035     <property name="name">Status</property>
4036     <text-property name="displayName">Status
         </text-property>
4037     <expression name="expression" type=
           "javascript">dataSetRow["Status"]
         </expression>
4038     <property name="dataType">string</property>
4039 </structure>
4040 <structure>
4041     <property name="name">Status_Order</property>
4042     <text-property name="displayName">
         Status_Order</text-property>
4043     <expression name="expression" type=
           "javascript">dataSetRow["Status_Order"]
         </expression>
4044     <property name="dataType">integer</property>
4045 </structure>
4046 <structure>
4047     <property name="name">Status_Color</property>
4048     <text-property name="displayName">
         Status_Color</text-property>
4049     <expression name="expression" type=
           "javascript">dataSetRow["Status_Color"]
         </expression>
4050     <property name="dataType">string</property>
4051 </structure>
4052 <structure>
4053     <property name="name">Priority</property>
4054     <text-property name="displayName">Priority
         </text-property>
4055     <expression name="expression" type=
           "javascript">dataSetRow["Priority"]
         </expression>
4056     <property name="dataType">string</property>
4057 </structure>
4058 <structure>
4059     <property name="name">Priority_Color
         </property>
4060     <text-property name="displayName">
         Priority_Color</text-property>
4061     <expression name="expression" type=
           "javascript">dataSetRow["Priority_Color"]
         </expression>
4062     <property name="dataType">string</property>
4063 </structure>
4064 <structure>
4065     <property name="name">Key</property>
4066     <text-property name="displayName">Key
         </text-property>
4067     <expression name="expression" type=
           "javascript">dataSetRow["Key"]</expression>
4068     <property name="dataType">string</property>
4069 </structure>
4070 <structure>
4071     <property name="name">dId</property>
4072     <text-property name="displayName">dId
         </text-property>
4073     <expression name="expression" type=
           "javascript">dataSetRow["dId"]</expression>
4074     <property name="dataType">string</property>
```

```
4075 </structure>
4076 <structure>
4077   <property name="name">TypeId</property>
4078   <text-property name="displayName">TypeId
4079   </text-property>
4080   <expression name="expression" type=
4081   "javascript">dataSetRow["TypeId"]
4082   </expression>
4083   <property name="dataType">integer</property>
4084 </structure>
4085 <structure>
4086   <property name="name">Assigned</property>
4087   <text-property name="displayName">Assigned
4088   </text-property>
4089   <expression name="expression" type=
4090   "javascript">dataSetRow["Assigned"]
4091   </expression>
4092   <property name="dataType">string</property>
4093 </structure>
4094 <structure>
4095   <property name="name">Year</property>
4096   <text-property name="displayName">Year
4097   </text-property>
4098   <expression name="expression" type=
4099   "javascript">dataSetRow["Year"]</expression>
4100   <property name="dataType">integer</property>
4101 </structure>
4102 <structure>
4103   <property name="name">MonthNumber</property>
4104   <text-property name="displayName">
4105   MonthNumber</text-property>
4106   <expression name="expression" type=
4107   "javascript">dataSetRow["MonthNumber"]
4108   </expression>
4109   <property name="dataType">integer</property>
4110 </structure>
4111 <structure>
4112   <property name="name">Month</property>
4113   <text-property name="displayName">Month
4114   </text-property>
4115   <expression name="expression" type=
4116   "javascript">dataSetRow["Month"]</expression>
4117   <property name="dataType">string</property>
4118 </structure>
4119 <structure>
4120   <property name="name">MonthOrder</property>
4121   <text-property name="displayName">MonthOrder
4122   </text-property>
4123   <expression name="expression" type=
4124   "javascript">dataSetRow["MonthOrder"]
4125   </expression>
4126   <property name="dataType">decimal</property>
4127 </structure>
4128 <structure>
4129   <property name="name">Created</property>
4130   <text-property name="displayName">Created
4131   </text-property>
4132   <expression name="expression" type=
4133   "javascript">dataSetRow["Created"]
4134   </expression>
4135   <property name="dataType">date-time
4136   </property>
4137 </structure>
4138 <structure>
4139   <property name="name">Age</property>
4140   <text-property name="displayName">Age
4141   </text-property>
```

```
4121 <expression name="expression" type=  
      "javascript">dataSetRow["Age"]</expression>  
4122 <property name="dataType">integer</property>  
4123 </structure>  
4124 <structure>  
4125 <property name="name">Modified</property>  
4126 <text-property name="displayName">Modified  
      </text-property>  
4127 <expression name="expression" type=  
      "javascript">dataSetRow["Modified"]  
      </expression>  
4128 <property name="dataType">date-time  
      </property>  
4129 </structure>  
4130 <structure>  
4131 <property name="name">Doc_Date1</property>  
4132 <text-property name="displayName">Doc_Date1  
      </text-property>  
4133 <expression name="expression" type=  
      "javascript">dataSetRow["Doc_Date1"]  
      </expression>  
4134 <property name="dataType">date-time  
      </property>  
4135 </structure>  
4136 <structure>  
4137 <property name="name">Doc_Date2</property>  
4138 <text-property name="displayName">Doc_Date2  
      </text-property>  
4139 <expression name="expression" type=  
      "javascript">dataSetRow["Doc_Date2"]  
      </expression>  
4140 <property name="dataType">date-time  
      </property>  
4141 </structure>  
4142 <structure>  
4143 <property name="name">Doc_Date3</property>  
4144 <text-property name="displayName">Doc_Date3  
      </text-property>  
4145 <expression name="expression" type=  
      "javascript">dataSetRow["Doc_Date3"]  
      </expression>  
4146 <property name="dataType">date-time  
      </property>  
4147 </structure>  
4148 <structure>  
4149 <property name="name">Type</property>  
4150 <text-property name="displayName">Type  
      </text-property>  
4151 <expression name="expression" type=  
      "javascript">dataSetRow["Type"]</expression>  
4152 <property name="dataType">string</property>  
4153 </structure>  
4154 </list-property>  
4155 <list-property name="sort">  
4156 <structure>  
4157 <expression name="key" type="javascript">  
      row["Priority_Order"]</expression>  
4158 <property name="direction">asc</property>  
4159 <property name="strength">-1</property>  
4160 </structure>  
4161 <structure>  
4162 <expression name="key" type="javascript">  
      row["Name"]</expression>  
4163 <property name="direction">asc</property>  
4164 <property name="strength">-1</property>  
4165 </structure>  
4166 </list-property>
```

```

4167         <list-property name="filter">
4168             <structure>
4169                 <property name="operator">is-true</property>
4170                 <expression name="expr" type="javascript">
                    (row["Status"]=="Assigned" & amp; & amp;
                    row["TypeId"]==288) ||
                    (row["Status"]=="Assigned" & amp; & amp;
                    row["TypeId"]==70)</expression>
4171                 <property name="updateAggregation">>true
                    </property>
4172             </structure>
4173         </list-property>
4174         <column id="1487"/>
4175         <detail>
4176             <row id="1482">
4177                 <cell id="1483">
4178                     <text id="1488">
4179                         <property name="borderBottomStyle">
4180                             solid</property>
4181                         <property name="borderBottomWidth">
4182                             thin</property>
4183                         <property name="borderLeftStyle">
4184                             solid</property>
4185                         <property name="borderLeftWidth">
4186                             thin</property>
4187                         <property name="borderRightStyle">
4188                             solid</property>
4189                         <property name="borderRightWidth">
4190                             thin</property>
4191                         <property name="borderTopStyle">
4192                             solid</property>
4193                         <property name="borderTopWidth">thin
4194                             </property>
4195                         <property name="contentType">html
4196                             </property>
4197                         <text-property name="content">
4198                             <![CDATA[<table >
4199
4200 <tr height="4px">
4201     <td width="4px"
4202         style="background-color:<VALUE-OF>"#">row["Status_Color"]</VALUE-OF>" >
4203     </td>
4204
4205     <td width="4px"
4206         style="background-color:<VALUE-OF>"#">row["Priority_Color"]</VALUE-OF>" >
4207     </td>
4208
4209     <td style="text-align:center;font-size:9px;font-wieght: bold">
4210         <VALUE-OF>row["Key"]</VALUE-OF>
4211     </td>
4212
4213 </tr>
4214
4215 <tr height="14px" style="text-align:center;font-size:12px;font-wieght: bold">
4216     <td colspan="3" >
4217         <VALUE-OF>row["Assigned"]</VALUE-OF>
4218     </td>
4219
4220 </tr>
4221
4222 <tr></tr>
4223
4224 <tr>
4225     <td colspan="3" style="text-align:center;font-size:14px;font-wieght: bold">
4226         <a href="https://jama.seicdevops.com/perspective.req?projectId=
4227         <VALUE-OF>row["pId"]+"&docId="+row["dId"]</VALUE-OF>" target="_blank">
4228         <VALUE-OF>row["Name"]</VALUE-OF>
4229     </a>

```

```

4216         </td>
4217     </tr>
4218
4219 </table>]]></text-property>
4220
4221         </text>
4222     </cell>
4223 </row>
4224 </detail>
4225 </table>
4226 </cell>
4227 <cell id="1318">
4228     <table id="1489">
4229         <property name="dataSet">WorkItemsDataSet</property>
4230         <list-property name="boundDataColumns">
4231             <structure>
4232                 <property name="name">Priority_Order</property>
4233                 <text-property name="displayName">
4234                     Priority_Order</text-property>
4235                 <expression name="expression" type="
4236                     javascript">dataSetRow["Priority_Order"]
4237                 </expression>
4238                 <property name="dataType">integer</property>
4239             </structure>
4240             <structure>
4241                 <property name="name">Name</property>
4242                 <text-property name="displayName">Name
4243                 </text-property>
4244                 <expression name="expression" type="
4245                     javascript">dataSetRow["Name"]</expression>
4246                 <property name="dataType">string</property>
4247             </structure>
4248             <structure>
4249                 <property name="name">Project</property>
4250                 <text-property name="displayName">Project
4251                 </text-property>
4252                 <expression name="expression" type="
4253                     javascript">dataSetRow["Project"]
4254                 </expression>
4255                 <property name="dataType">string</property>
4256             </structure>
4257             <structure>
4258                 <property name="name">pId</property>
4259                 <text-property name="displayName">pId
4260                 </text-property>
4261                 <expression name="expression" type="
4262                     javascript">dataSetRow["pId"]</expression>
4263                 <property name="dataType">string</property>
4264             </structure>
4265             <structure>
4266                 <property name="name">dtfdId</property>
4267                 <text-property name="displayName">dtfdId
4268                 </text-property>
4269                 <expression name="expression" type="
4270                     javascript">dataSetRow["dtfdId"]
4271                 </expression>
4272                 <property name="dataType">string</property>
4273             </structure>
4274             <structure>
4275                 <property name="name">Status</property>
4276                 <text-property name="displayName">Status
4277                 </text-property>
4278                 <expression name="expression" type="
4279                     javascript">dataSetRow["Status"]
4280                 </expression>
4281                 <property name="dataType">string</property>
4282             </structure>

```

```
4266 <structure>
4267   <property name="name">Status_Order</property>
4268   <text-property name="displayName">
4269     Status_Order</text-property>
4270   <expression name="expression" type=
4271     "javascript">dataSetRow["Status_Order"]
4272   </expression>
4273   <property name="dataType">integer</property>
4274 </structure>
4275 <structure>
4276   <property name="name">Status_Color</property>
4277   <text-property name="displayName">
4278     Status_Color</text-property>
4279   <expression name="expression" type=
4280     "javascript">dataSetRow["Status_Color"]
4281   </expression>
4282   <property name="dataType">string</property>
4283 </structure>
4284 <structure>
4285   <property name="name">Priority</property>
4286   <text-property name="displayName">Priority
4287   </text-property>
4288   <expression name="expression" type=
4289     "javascript">dataSetRow["Priority"]
4290   </expression>
4291   <property name="dataType">string</property>
4292 </structure>
4293 <structure>
4294   <property name="name">Priority_Color
4295   </property>
4296   <text-property name="displayName">
4297     Priority_Color</text-property>
4298   <expression name="expression" type=
4299     "javascript">dataSetRow["Priority_Color"]
4300   </expression>
4301   <property name="dataType">string</property>
4302 </structure>
4303 <structure>
4304   <property name="name">Key</property>
4305   <text-property name="displayName">Key
4306   </text-property>
4307   <expression name="expression" type=
4308     "javascript">dataSetRow["Key"]</expression>
4309   <property name="dataType">string</property>
4310 </structure>
4311 <structure>
4312   <property name="name">dId</property>
4313   <text-property name="displayName">dId
4314   </text-property>
4315   <expression name="expression" type=
4316     "javascript">dataSetRow["dId"]</expression>
4317   <property name="dataType">string</property>
4318 </structure>
4319 <structure>
4320   <property name="name">TypeId</property>
4321   <text-property name="displayName">TypeId
4322   </text-property>
4323   <expression name="expression" type=
4324     "javascript">dataSetRow["TypeId"]
4325   </expression>
4326   <property name="dataType">integer</property>
4327 </structure>
4328 <structure>
4329   <property name="name">Assigned</property>
4330   <text-property name="displayName">Assigned
4331   </text-property>
4332   <expression name="expression" type=
```

```
4312     "javascript">dataSetRow["Assigned"]
4313     </expression>
4314     <property name="dataType">string</property>
4315 </structure>
4316 <structure>
4317     <property name="name">Year</property>
4318     <text-property name="displayName">Year
4319     </text-property>
4320     <expression name="expression" type=
4321     "javascript">dataSetRow["Year"]</expression>
4322     <property name="dataType">integer</property>
4323 </structure>
4324 <structure>
4325     <property name="name">MonthNumber</property>
4326     <text-property name="displayName">
4327     MonthNumber</text-property>
4328     <expression name="expression" type=
4329     "javascript">dataSetRow["MonthNumber"]
4330     </expression>
4331     <property name="dataType">integer</property>
4332 </structure>
4333 <structure>
4334     <property name="name">Month</property>
4335     <text-property name="displayName">Month
4336     </text-property>
4337     <expression name="expression" type=
4338     "javascript">dataSetRow["Month"]</expression>
4339     <property name="dataType">string</property>
4340 </structure>
4341 <structure>
4342     <property name="name">MonthOrder</property>
4343     <text-property name="displayName">MonthOrder
4344     </text-property>
4345     <expression name="expression" type=
4346     "javascript">dataSetRow["MonthOrder"]
4347     </expression>
4348     <property name="dataType">decimal</property>
4349 </structure>
4350 <structure>
4351     <property name="name">Created</property>
4352     <text-property name="displayName">Created
4353     </text-property>
4354     <expression name="expression" type=
4355     "javascript">dataSetRow["Created"]
4356     </expression>
4357     <property name="dataType">date-time
4358     </property>
4359 </structure>
4360 <structure>
4361     <property name="name">Age</property>
4362     <text-property name="displayName">Age
4363     </text-property>
4364     <expression name="expression" type=
4365     "javascript">dataSetRow["Age"]</expression>
4366     <property name="dataType">integer</property>
4367 </structure>
4368 <structure>
4369     <property name="name">Modified</property>
4370     <text-property name="displayName">Modified
4371     </text-property>
4372     <expression name="expression" type=
4373     "javascript">dataSetRow["Modified"]
4374     </expression>
4375     <property name="dataType">date-time
4376     </property>
4377 </structure>
4378 <structure>
```



```

4405     <property name="borderBottomStyle">
4406         solid</property>
4407     <property name="borderBottomWidth">
4408         thin</property>
4409     <property name="borderLeftStyle">
4410         solid</property>
4411     <property name="borderLeftWidth">
4412         thin</property>
4413     <property name="borderRightStyle">
4414         solid</property>
4415     <property name="borderRightWidth">
4416         thin</property>
4417     <property name="borderTopStyle">
4418         solid</property>
4419     <property name="borderTopWidth">thin
4420     </property>
4421     <property name="contentType">html
4422     </property>
4423     <text-property name="content">
4424     <![CDATA[<table >
4425
4426     <tr height="4px">
4427         <td width="4px"
4428             style="background-color:<VALUE-OF>"#"+row["Status_Color"]</VALUE-OF>" >
4429         </td>
4430
4431         <td width="4px"
4432             style="background-color:<VALUE-OF>"#"+row["Priority_Color"]</VALUE-OF>" >
4433         </td>
4434
4435         <td style="text-align:center;font-size:9px;font-wieght: bold">
4436             <VALUE-OF>row["Key"]</VALUE-OF>
4437         </td>
4438
4439     </tr>
4440
4441     <tr height="14px" style="text-align:center;font-size:12px;font-wieght: bold">
4442         <td colspan="3" >
4443             <VALUE-OF>row["Assigned"]</VALUE-OF>
4444         </td>
4445
4446     </tr>
4447
4448     <tr></tr>
4449
4450     <tr>
4451         <td colspan="3" style="text-align:center;font-size:14px;font-wieght: bold">
4452             <a href="https://jama.seicdevops.com/perspective_req?projectId=
4453             <VALUE-OF>row["pId"]+"&docId="+row["dId"]</VALUE-OF>" target="_blank">
4454             <VALUE-OF>row["Name"]</VALUE-OF>
4455             </a>
4456         </td>
4457     </tr>
4458 </table>]]></text-property>
4459
4460     </text>
4461 </cell>
4462 </row>
4463 </detail>
4464 </table>
4465 </cell>
4466 <cell id="1319">
4467     <table id="1498">
4468         <property name="dataSet">WorkItemsDataSet</property>
4469         <list-property name="boundDataColumns">
4470             <structure>
4471                 <property name="name">Priority_Order
4472                 </property>

```

```
4458     <text-property name="displayName">
4459     Priority_Order</text-property>
4459     <expression name="expression" type=
4459     "javascript">dataSetRow["Priority_Order"]
4459     </expression>
4460     <property name="dataType">integer</property>
4461 </structure>
4462 <structure>
4463     <property name="name">Name</property>
4464     <text-property name="displayName">Name
4464     </text-property>
4465     <expression name="expression" type=
4465     "javascript">dataSetRow["Name"]</expression>
4466     <property name="dataType">string</property>
4467 </structure>
4468 <structure>
4469     <property name="name">Project</property>
4470     <text-property name="displayName">Project
4470     </text-property>
4471     <expression name="expression" type=
4471     "javascript">dataSetRow["Project"]
4471     </expression>
4472     <property name="dataType">string</property>
4473 </structure>
4474 <structure>
4475     <property name="name">pId</property>
4476     <text-property name="displayName">pId
4476     </text-property>
4477     <expression name="expression" type=
4477     "javascript">dataSetRow["pId"]</expression>
4478     <property name="dataType">string</property>
4479 </structure>
4480 <structure>
4481     <property name="name">dtfdId</property>
4482     <text-property name="displayName">dtfdId
4482     </text-property>
4483     <expression name="expression" type=
4483     "javascript">dataSetRow["dtfdId"]
4483     </expression>
4484     <property name="dataType">string</property>
4485 </structure>
4486 <structure>
4487     <property name="name">Status</property>
4488     <text-property name="displayName">Status
4488     </text-property>
4489     <expression name="expression" type=
4489     "javascript">dataSetRow["Status"]
4489     </expression>
4490     <property name="dataType">string</property>
4491 </structure>
4492 <structure>
4493     <property name="name">Status_Order</property>
4494     <text-property name="displayName">
4494     Status_Order</text-property>
4495     <expression name="expression" type=
4495     "javascript">dataSetRow["Status_Order"]
4495     </expression>
4496     <property name="dataType">integer</property>
4497 </structure>
4498 <structure>
4499     <property name="name">Status_Color</property>
4500     <text-property name="displayName">
4500     Status_Color</text-property>
4501     <expression name="expression" type=
4501     "javascript">dataSetRow["Status_Color"]
4501     </expression>
4502     <property name="dataType">string</property>
```

```

4503 </structure>
4504 <structure>
4505   <property name="name">Priority</property>
4506   <text-property name="displayName">Priority
4507   </text-property>
4508   <expression name="expression" type=
4509   "javascript">dataSetRow["Priority"]
4510   </expression>
4511   <property name="dataType">string</property>
4512 </structure>
4513 <structure>
4514   <property name="name">Priority_Color
4515   </property>
4516   <text-property name="displayName">
4517   Priority_Color</text-property>
4518   <expression name="expression" type=
4519   "javascript">dataSetRow["Priority_Color"]
4520   </expression>
4521   <property name="dataType">string</property>
4522 </structure>
4523 <structure>
4524   <property name="name">Key</property>
4525   <text-property name="displayName">Key
4526   </text-property>
4527   <expression name="expression" type=
4528   "javascript">dataSetRow["Key"]</expression>
4529   <property name="dataType">string</property>
4530 </structure>
4531 <structure>
4532   <property name="name">dId</property>
4533   <text-property name="displayName">dId
4534   </text-property>
4535   <expression name="expression" type=
4536   "javascript">dataSetRow["dId"]</expression>
4537   <property name="dataType">string</property>
4538 </structure>
4539 <structure>
4540   <property name="name">TypeId</property>
4541   <text-property name="displayName">TypeId
4542   </text-property>
4543   <expression name="expression" type=
4544   "javascript">dataSetRow["TypeId"]
4545   </expression>
4546   <property name="dataType">integer</property>
4547 </structure>
4548 <structure>
4549   <property name="name">Assigned</property>
4550   <text-property name="displayName">Assigned
4551   </text-property>
4552   <expression name="expression" type=
4553   "javascript">dataSetRow["Assigned"]
4554   </expression>
4555   <property name="dataType">string</property>
4556 </structure>
4557 <structure>
4558   <property name="name">Year</property>
4559   <text-property name="displayName">Year
4560   </text-property>
4561   <expression name="expression" type=
4562   "javascript">dataSetRow["Year"]</expression>
4563   <property name="dataType">integer</property>
4564 </structure>
4565 <structure>
4566   <property name="name">MonthNumber</property>
4567   <text-property name="displayName">
4568   MonthNumber</text-property>
4569   <expression name="expression" type=

```

```
4550     "javascript">dataSetRow["MonthNumber"]
4551     </expression>
4552     <property name="dataType">integer</property>
4553 </structure>
4554 <structure>
4555     <property name="name">Month</property>
4556     <text-property name="displayName">Month
4557     </text-property>
4558     <expression name="expression" type=
4559     "javascript">dataSetRow["Month"]</expression>
4560     <property name="dataType">string</property>
4561 </structure>
4562 <structure>
4563     <property name="name">MonthOrder</property>
4564     <text-property name="displayName">MonthOrder
4565     </text-property>
4566     <expression name="expression" type=
4567     "javascript">dataSetRow["MonthOrder"]
4568     </expression>
4569     <property name="dataType">decimal</property>
4570 </structure>
4571 <structure>
4572     <property name="name">Created</property>
4573     <text-property name="displayName">Created
4574     </text-property>
4575     <expression name="expression" type=
4576     "javascript">dataSetRow["Created"]
4577     </expression>
4578     <property name="dataType">date-time
4579     </property>
4580 </structure>
4581 <structure>
4582     <property name="name">Age</property>
4583     <text-property name="displayName">Age
4584     </text-property>
4585     <expression name="expression" type=
4586     "javascript">dataSetRow["Age"]</expression>
4587     <property name="dataType">integer</property>
4588 </structure>
4589 <structure>
4590     <property name="name">Modified</property>
4591     <text-property name="displayName">Modified
4592     </text-property>
4593     <expression name="expression" type=
4594     "javascript">dataSetRow["Modified"]
4595     </expression>
4596     <property name="dataType">date-time
4597     </property>
4598 </structure>
4599 <structure>
4600     <property name="name">Doc_Date1</property>
4601     <text-property name="displayName">Doc_Date1
4602     </text-property>
4603     <expression name="expression" type=
4604     "javascript">dataSetRow["Doc_Date1"]
4605     </expression>
4606     <property name="dataType">date-time
4607     </property>
4608 </structure>
4609 <structure>
4610     <property name="name">Doc_Date2</property>
4611     <text-property name="displayName">Doc_Date2
4612     </text-property>
4613     <expression name="expression" type=
4614     "javascript">dataSetRow["Doc_Date2"]
4615     </expression>
4616     <property name="dataType">date-time
```

```

4593     </property>
4594 </structure>
4595 <structure>
4596   <property name="name">Doc_Date3</property>
4597   <text-property name="displayName">Doc_Date3
4598   </text-property>
4599   <expression name="expression" type=
4600   "javascript">dataSetRow["Doc_Date3"]
4601   </expression>
4602   <property name="dataType">date-time
4603   </property>
4604 </structure>
4605 <structure>
4606   <property name="name">Type</property>
4607   <text-property name="displayName">Type
4608   </text-property>
4609   <expression name="expression" type=
4610   "javascript">dataSetRow["Type"]</expression>
4611   <property name="dataType">string</property>
4612 </structure>
4613 </list-property>
4614 <list-property name="sort">
4615   <structure>
4616     <expression name="key" type="javascript">
4617     row["Priority_Order"]</expression>
4618     <property name="direction">asc</property>
4619     <property name="strength">-1</property>
4620   </structure>
4621   <structure>
4622     <expression name="key" type="javascript">
4623     row["Name"]</expression>
4624     <property name="direction">asc</property>
4625     <property name="strength">-1</property>
4626   </structure>
4627 </list-property>
4628 <list-property name="filter">
4629   <structure>
4630     <property name="operator">is-true</property>
4631     <expression name="expr" type="javascript">
4632     (row["Status"]=="Complete" & amp; & amp;
4633     row["TypeId"]==288) ||
4634     (row["Status"]=="Resolved" & amp; & amp;
4635     row["TypeId"]==70)</expression>
4636     <property name="updateAggregation">>true
4637     </property>
4638   </structure>
4639 </list-property>
4640 </column id="1505"/>
4641 <detail>
4642   <row id="1501">
4643     <cell id="1502">
4644       <text id="1506">
4645         <property name="borderBottomStyle">
4646         solid</property>
4647         <property name="borderBottomWidth">
4648         thin</property>
4649         <property name="borderLeftStyle">
4650         solid</property>
4651         <property name="borderLeftWidth">
4652         thin</property>
4653         <property name="borderRightStyle">
4654         solid</property>
4655         <property name="borderRightWidth">
4656         thin</property>
4657         <property name="borderTopStyle">
4658         solid</property>
4659         <property name="borderTopWidth">thin

```

